

**BLUECROSS BLUESHIELD OF TENNESSEE, INC. (BCBST)**  
**ANSI 837 PROFESSIONAL EDITS**

- 610001      **DUPLICATE TO RECEIPT DATE MM/DD**  
The purpose of this edit is to identify duplicate claims that have been submitted to BlueCross BlueShield of Tennessee, and prevent those claims from being routed to the claims area for processing. The duplicate check edit will compare data using the Application Senders Code from the GS segment. The following fields within Loop ID-2000A of the transaction set will also be used: Billing Provider Tax ID, Patient Control Number and Statement Date from the last claim. The total calculated number of claims and the total calculated charges within the transaction set will also be used. Should a duplication of this data be submitted within a 45-day period, claims within the provider Loop ID-2000A will be rejected.
- 620001      **CLAIM FILING INDICATOR INVALID**  
Claim Filing Indicator must equal BL, CI, MB, MC, OF or 16.  
*Claim filing indicator is located in Loop ID-2000B in the SBR segment. If the 1<sup>st</sup> element in that segment is equal to 'P', then the 9<sup>th</sup> element in that segment is the claim filing indicator. It should be equal to 'BL', 'CI', 'MB', 'MC', 'OF' or '16'.*
- 620002      **SUB ID NOT ON ELIGIBILITY FILE**  
BlueCross BlueShield of Tennessee subscriber eligibility file does not list this Subscriber ID.  
*Subscriber ID is located in Loop ID-2010BA in the NM1 segment. If the 1<sup>st</sup> element in that segment is equal to 'IL' and the 2<sup>nd</sup> element is equal to '1', then the 9<sup>th</sup> element in that segment is the subscriber ID. The subscriber ID is not found in the BlueCross BlueShield of Tennessee eligibility database.*
- 620003      **SUB ID, PAT NAME, DOB, DO NOT AGREE**  
Subscriber ID, Patient Name, and Date of Birth must match for routing verification.  
*Subscriber ID is located in Loop ID-2010BA in the NM1 segment. If the 1<sup>st</sup> element in that segment is equal to 'IL' and the 2<sup>nd</sup> element is equal to '1', then the 9<sup>th</sup> element in that segment is the subscriber ID.*  
*Patient last name and first name are located in Loop ID-2010CA in the NM1 segment. If the 1<sup>st</sup> element in that segment is equal to 'QC', and the 2<sup>nd</sup> element is equal to '1', then the 3<sup>rd</sup> element is the last name, and the 4<sup>th</sup> element is the first name.*  
*Patient birth date is located in Loop ID-2010CA in the DMG segment. It is the 2<sup>nd</sup> element in that segment. The subscriber ID, patient last name, patient first name, and patient date of birth submitted on claim must match the BlueCross BlueShield of Tennessee eligibility database.*

- 620004      DOS<01/01/02,MAIL TO SIGNATURE HLTH  
Vanderbilt PPO claims with dates of service prior to 01/01/02 should be mailed to Signature Health.  
*Service date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is service date. The first 8 bytes in the 3<sup>rd</sup> element are the service from date. Bytes 10 thru 17 in the 3<sup>rd</sup> element are the service to date. If the insurance group is Vanderbilt PPO, and if the service date is less than 01/01/2002, then the claim should be mailed to Signature Health.*
- 620005      FEP SUB ID MUST = R + 8 NUMERIC  
FEP Subscriber ID must equal R plus eight numeric digits.  
*Subscriber ID is located in Loop ID-2010BA in the NMI segment. If the 1<sup>st</sup> element in that segment is equal to 'IL', and the 2<sup>nd</sup> element is equal to '1', then the 9<sup>th</sup> element in that segment is the subscriber ID. For FEP claims, the subscriber ID should start with the letter R followed by 8 numeric digits.*
- 620007      CFI = OF, SUB ID NOT R + 8 NUMERIC  
If Claim Filing Indicator is equal to OF (FEP), the Subscriber ID must be R plus eight numeric digits.  
*Claim filing indicator is located in Loop ID-2000B in the SBR segment. If the 1<sup>st</sup> element in that segment is equal to 'P', then the 9<sup>th</sup> element in that segment is the claim filing indicator.  
Subscriber ID is located in Loop ID-2010BA in the NMI segment. If the 1<sup>st</sup> element in that segment is equal to 'IL', and the 2<sup>nd</sup> element is equal to '1', then the 9<sup>th</sup> element in that segment is the subscriber ID. If claim filing indicator is equal to 'OF', then the subscriber ID should start with the letter R followed by 8 numeric digits.*
- 620008      SUBSCRIBER/PATIENT NAME MISSING  
The Patient Name, when it is the Subscriber, is missing.  
*The individual relationship code is located in Loop ID-2000B in the SBR segment. If the 2<sup>nd</sup> element is equal to '18', then the patient is the subscriber.  
Subscriber last name and first name are located in Loop ID-2010BA in the NMI segment. If the 1<sup>st</sup> element is equal to 'IL', then the 3<sup>rd</sup> element is the last name, and the 4<sup>th</sup> element is the first name. The patient name, when the patient is the subscriber, is required.*
- 620009      PATIENT NAME MISSING  
The Patient Name is missing on the claim.  
*Patient last name and first name are located in Loop ID-2010CA in the NMI segment. If the 1<sup>st</sup> element in that segment is equal to 'QC', and the*

*2<sup>nd</sup> element is equal to '1', then the 3<sup>rd</sup> element is the last name, and the 4<sup>th</sup> element is the first name. The patient name is required.*

- 620010      SERVICE FROM DATE INVALID  
Service From Date must be a valid date.  
*Service date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date. The first 8 bytes in the 3<sup>rd</sup> element are the service from date. The service from date must be a valid date in CCYYMMDD format.*
- 620012      CLAIM FILING INDICATOR MISSING  
Claim Filing Indicator is required.  
*Claim filing indicator is located in Loop ID-2000B in the SBR segment. If the 1<sup>st</sup> element in that segment is equal to 'P', then the 9<sup>th</sup> element in that segment is the claim filing indicator. Claim filing indicator is required.*
- 620015      HIPAA NONCOMPLIANT CLM NOT ACCEPTED  
Version Code must be HIPAA Compliant '005010X222A1'.  
*Version / Release / Industry Identifier Code is located in the GS segment. It is the 8<sup>th</sup> element in that segment. The version code must be '005010X222A1'. This edit is applicable for BlueCare/TennCareSelect claims only.*
- 630001      SUBMITTER ID NOT ON PPF1 FILE  
Submitter Tax ID does not equal Tax ID loaded in the Electronic Commerce database.  
*Submitter Tax ID is located in Loop ID-1000A in the NM1 segment. If the 1<sup>st</sup> element in that segment is equal to '41', then the 9<sup>th</sup> element in that segment is the Submitter tax ID. The submitter tax ID must be a valid ID found in the Electronic Commerce database.*
- 630002      PROVIDER NOT VALID PAPERLESS PROV  
BlueCross BlueShield of Tennessee provider number must be a valid provider number in the Electronic Commerce database.  
*BlueShield provider number is located in Loop ID-2010AA in the REF segment. If the 1<sup>st</sup> element in that segment is equal to '1B', then the 2<sup>nd</sup> element in that segment is the BlueShield provider number.  
National Provider Identifier (NPI) is located in Loop ID-2010AA in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. This provider number or NPI must be valid in the Electronic Commerce database.*
- 630005      MED-B CLMS NOT ACCEPTED X12 FILE  
Medicare-B claims are not accepted in X12 file at this time.

*Claim filing indicator is located in Loop ID-2000B in the SBR segment. If the 1<sup>st</sup> element in that segment is equal to 'P', then the 9<sup>th</sup> element in that segment is the claim filing indicator. Medicare-B claims (CFI=MB), cannot be accepted in an X12 file at this time.*

630010

**PROV CANNOT SUBMIT BLUESHIELD CLMS**

Provider Number not cleared to submit BlueShield claims.

*BlueShield provider number is located in Loop ID-2010AA in the REF segment. If the 1<sup>st</sup> element in that segment is equal to '1B', then the 2<sup>nd</sup> element in that segment is the BlueShield provider number.*

*National Provider Identifier is located in Loop ID-2010AA in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI.*

*Claim filing indicator is located in Loop ID-2000B in the SBR segment. If the 1<sup>st</sup> element in that segment is equal to 'P', then the 9<sup>th</sup> element in that segment is the claim filing indicator. If the claim filing indicator is equal to 'BL', 'OF', or '16', then the provider number or NPI is validated against the Electronic Commerce database to verify that the provider has been approved for submitting BlueShield claims.*

630011

**PROV CANNOT SUBMIT TENNCARE CLAIMS**

Provider Number is not cleared to submit TennCare<sup>SM</sup> claims.

*BlueShield provider number is located in Loop ID-2010AA in the REF segment. If the 1<sup>st</sup> element in that segment is equal to '1B', then the 2<sup>nd</sup> element in that segment is the BlueShield provider number.*

*National Provider Identifier is located in Loop ID-2010AA in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI.*

*Claim filing indicator is located in Loop ID-2000B in the SBR segment. If the 1<sup>st</sup> element in that segment is equal to 'P', then the 9<sup>th</sup> element in that segment is the claim filing indicator. If the claim filing indicator is equal to 'MC', then the provider number or NPI is validated against the Electronic Commerce database to verify that the provider has been approved for submitting TennCare<sup>SM</sup> claims.*

630012

**CLM LOB NOT ACCEPTED IN X12 FILE.**

Claim Line of Business not accepted in X12 file.

*Claim filing indicator is located in Loop ID-2000B in the SBR segment. If the 1<sup>st</sup> element in that segment is equal to 'P', then the 9<sup>th</sup> element in that segment is the claim filing indicator. Third Party Commercial Claims (CFI=CI), cannot be accepted at this time.*

630018

**PROVIDER CANNOT SUBMIT CLAIMS**

Provider number is not cleared to submit claims electronically.

*Provider number is located in Loop ID-2010AA in the REF segment.*

*National Provider Identifier is located in Loop ID-2010AA in the NMI*

*segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. This provider number or NPI is validated against the Electronic Commerce database to verify that the provider has been approved for submitting claims electronically.*

- 630022      **BILLING PROV NPI CHECK DIGIT INVALID**  
Billing Provider National Provider Identifier (NPI) Invalid.  
*Billing Provider National Provider Identifier is located in Loop ID-2010AA in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Billing provider NPI must be valid.*
- 630023      **BILLING PROVIDER NPI NOT IN CPS**  
Billing Provider National Provider Identifier (NPI) is not set up in the CPS Provider number database.  
*Billing Provider National Provider Identifier is located in Loop ID-2010AA in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Employer's Identification Number and Social Security Number for the Billing Provider Secondary Identification are located in Loop ID-2010AA in the REF Segment. If the 1<sup>st</sup> element in that segment is equal to 'EI', then the 2<sup>nd</sup> element of that segment is the Employer's Identification Number. If the 1<sup>st</sup> element in that segment is equal to 'SY', then the 2<sup>nd</sup> element of that segment is the Social Security Number. Billing provider NPI / Tax ID combination must be valid and in the CPS database.*
- 630024      **BILL PROV ID/NPI NOT ACTIVE IN CPS**  
Billing Provider National Provider Identifier (NPI) is inactive in the CPS provider number database.  
*Billing Provider National Provider Identifier is located in Loop ID-2010AA in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Billing provider NPI must be a valid, active NPI in the CPS database.*
- 630025      **NO PAYABLE NPI WAS SUBMITTED**  
No Payable National Provider Identifier (NPI) was found in the Billing Provider Loop (2010AA), Claim Level Rendering Provider Loop (2310B), or the Line Level Rendering Provider Loop (2420A).  
*Billing Provider National Provider Identifier is located in Loop ID-2010AA in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim Level National Provider Identifier is located in Loop ID-2310B in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line Level National Provider Identifier is located in Loop ID-2420A in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX',*

*then the 9<sup>th</sup> element in that segment is the NPI. No Payable NPI was found in the Billing Provider Loop, Claim Level Rendering Provider Loop (2310B), or the Line Level Rendering Provider Loop (2420A).*

630026

**NPI REQUIRED FOR BILLING PROVIDER**

National Provider Identifier (NPI) is required for Billing Provider.  
*Billing Provider National Provider Identifier is located in Loop ID-2010AA in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. NPI is required for Billing Provider.*

630027

**MULTIPLE RENDERING NPI'S PRESENT**

Multiple Rendering National Provider Identifiers (NPI) on claim.  
*Claim Level Rendering National Provider Identifier is located in Loop ID-2310B in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI.*  
*Line Level Rendering National Provider Identifier is located in Loop ID-2420A in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Multiple, different NPIs cannot be present on claim.*

630028

**BILLING NPI=INDIV/NOT=RENDERING NPI**

Billing Provider National Provider Identifier (NPI) is Individual Provider and is not equal to Rendering Provider NPI.  
*Billing Provider National Provider Identifier is located in Loop ID-2010AA in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI.*  
*Claim Level Rendering National Provider Identifier is located in Loop ID-2310B in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI.*  
*Line Level Rendering National provider Identifier is located in Loop ID-2420A in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Billing Provider NPI is individual provider and not equal to either the Claim level or Line level Rendering Provider NPI.*

630029

**PROV TYPE/CLM TYPE DO NOT MATCH**

Provider Type and Claim Type do not Match.  
*Billing Provider National Provider Identifier (NPI) is located in Loop ID-2010AA in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI.*  
*Claim Level Rendering National Provider Identifier is located in Loop ID-2310B in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI.*  
*Line Level Rendering National provider Identifier is located in Loop ID-2420A in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to*

*'XX', then the 9<sup>th</sup> element in that segment is the NPI. NPI is Institutional provider type and does not match the Professional 837 claim type submitted.*

- 630122 CLM RENDERING NPI CHECK DIGIT INV  
Claim Level Rendering National Provider Identifier (NPI) Invalid.  
*Claim Level Rendering National Provider Identifier is located in Loop ID-2310B in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Rendering Provider NPI must be valid.*
- 630124 CLM RENDERING NPI NOT ACTIVE IN CPS  
Claim Level Rendering National Provider Identifier (NPI) is not set up in the CPS Provider number database.  
*Claim Level Rendering National Provider Identifier is located in Loop ID-2310B in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Rendering Provider NPI must be a valid, active NPI in the CPS database.*
- 630126 NPI REQUIRED FOR CLM RENDERING PROV  
National Provider Identifier (NPI) is required for Claim Level Rendering Provider.  
*Claim Level Rendering National Provider Identifier is located in Loop ID-2310B in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. NPI is required for Claim level Rendering Provider.*
- 630222 LINE RENDERING NPI CHECK DIGIT INV  
Line Level Rendering National Provider Identifier (NPI) Invalid.  
*Line Level Rendering National Provider Identifier is located in Loop ID-2420A in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Rendering Provider NPI must be valid.*
- 630224 LINE RENDERING NPI NOT ACTIVE CPS  
Line Level Rendering National Provider Identifier (NPI) is not set up in the CPS Provider number database.  
*Line Level Rendering National Provider Identifier is located in Loop ID-2420A in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Rendering Provider NPI must be a valid, active NPI in the CPS database.*
- 630226 NPI REQUIRED LINE RENDERING PROV  
National Provider Identifier (NPI) is required for Line Level Rendering Provider.  
*Line Level Rendering National Provider Identifier is located in Loop ID-*

2420A in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. NPI is required for Line level Rendering Provider.

- 630322 CLM REFERRING NPI CHECK DIGIT INV  
Claim Level Referring Provider National Provider Identifier (NPI) Invalid.  
*Claim Level Referring Provider National Provider Identifier is located in Loop ID-2310A in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Referring Provider NPI must be valid.*
- 630324 CLM REFERRING NPI NOT ACTIVE IN CPS  
Claim Level Referring Provider National Provider Identifier (NPI) is not set up in the CPS Provider number database.  
*Claim Level Referring Provider National Provider Identifier is located in Loop ID-2310A in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Referring Provider NPI must be a valid, active NPI in the CPS database.*
- 630326 NPI REQUIRED FOR CLM REFERRING PROV  
National Provider Identifier (NPI) is required for Claim Level Referring Provider.  
*Claim Level Referring Provider National Provider Identifier is located in Loop ID-2310A in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. NPI is required for Claim level Referring Provider.*
- 630422 LN REFERRING NPI CHECK DIGIT INV  
Line Level Referring Provider National Provider Identifier (NPI) Invalid.  
*Line Level Referring Provider National Provider Identifier is located in Loop ID-2420F in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Referring Provider NPI must be valid.*
- 630424 LN REFERRING NPI NOT ACTIVE IN CPS  
Line Level Referring Provider National Provider Identifier (NPI) is not set up in the CPS Provider number database.  
*Line Level Referring Provider National Provider Identifier is located in Loop ID-2420F in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Referring Provider NPI must be a valid, active NPI in the CPS database.*
- 630426 NPI REQUIRED FOR LN REFERRING PROV  
National Provider Identifier (NPI) is required for Line Level Referring Provider.

*Line Level Referring Provider National Provider Identifier is located in Loop ID-2420F in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. NPI is required for Line level Referring Provider.*

- 630522      CLM SERV FAC NPI CHECK DIGIT INV  
Claim Level Servicing Facility Location National Provider Identifier (NPI) Invalid.  
*Claim Level Servicing Facility Location National Provider Identifier is located in Loop ID-2310D in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Service Facility Location NPI must be valid.*
- 630524      CLM SERV FAC NPI NOT ACTIVE IN CPS  
Claim Level Servicing Facility Location National Provider Identifier (NPI) is not set up in the CPS Provider number database.  
*Claim Level Servicing Facility Location National Provider Identifier is located in Loop ID-2310D in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Servicing Facility location NPI must be a valid, active NPI in the CPS database.*
- 630526      NPI REQUIRED FOR CLM SERV FACILITY  
National Provider Identifier (NPI) is required for Claim Level Servicing Facility Location.  
*Claim Level Servicing Facility Location National Provider Identifier is located in Loop ID-2310D in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. NPI is required for Claim level Servicing Facility Location.*
- 630622      LN SERV FAC NPI CHECK DIGIT INV  
Line Level Service Facility Location National Provider Identifier (NPI) Invalid.  
*Line Level Service Facility Location National Provider Identifier is located in Loop ID-2420C in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Service Facility Location NPI must be valid.*
- 630624      LN SERV FAC NPI NOT ACTIVE IN CPS  
Line Level Service Facility Location National Provider Identifier (NPI) is not set up in the CPS Provider number database.  
*Line Level Service Facility Location National Provider Identifier is located in Loop ID-2420C in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Service Facility Location NPI must be a valid, active NPI in the CPS database.*

- 630626      NPI REQUIRED FOR LN SERV FACILITY  
National Provider Identifier (NPI) is required for Line Level Service Facility Location.  
*Line Level Service Facility Location National Provider Identifier is located in Loop ID-2420C in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. NPI is required for Line level Service Facility Location.*
- 630722      CLM PURCH SERV NPI CHECK DIGIT INV  
Claim Level Purchased Service Provider National Provider Identifier (NPI) Invalid.  
*Claim Level Purchased Service Provider National Provider Identifier is located in Loop ID-2310C in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Purchased Service Provider NPI must be valid.*
- 630724      CLM PURCH SERV NPI NOT ACTIVE IN CPS  
Claim Level Purchased Service Provider National Provider Identifier (NPI) is not set up in the CPS Provider number database.  
*Claim Level Purchased Service Provider National Provider Identifier is located in Loop ID-2310C in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Purchased Service Provider NPI must be a valid, active NPI in the CPS database.*
- 630726      NPI REQUIRED FOR CLM PURCH SERV PROV  
National Provider Identifier (NPI) is required for Claim Level Purchased Service Provider.  
*Claim Level Purchased Service Provider National Provider Identifier is located in Loop ID-2310C in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. NPI is required for Claim level Purchased Service Provider.*
- 630822      CLM SUPVSNG NPI CHECK DIGIT INV  
Claim Level Supervising Provider National Provider Identifier (NPI) Invalid.  
*Claim Level Supervising Provider National Provider Identifier is located in Loop ID-2310E in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Supervising Provider NPI must be valid.*
- 630824      CLM SUPVSNG NPI NOT ACTIVE IN CPS  
Claim Level Supervising Provider National Provider Identifier (NPI) is not set up in the CPS Provider number database.  
*Claim Level Supervising Provider National Provider Identifier is*

*located in Loop ID-2310E in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Supervising Provider NPI must be a valid, active NPI in the CPS database.*

630826 NPI REQUIRED FOR CLM SUPVSNG PROV  
National Provider Identifier (NPI) is required for Claim Level Supervising Provider.

*Claim Level Supervising Provider National Provider Identifier is located in Loop ID-2310E in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. NPI is required for Claim level Supervising Provider.*

630922 LN PURCH SERV NPI CHECK DIGIT INV  
Line Level Purchased Service Provider National Provider Identifier (NPI) Invalid.

*Line Level Purchased Service Provider National Provider Identifier is located in Loop ID-2420B in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Purchased Service Provider NPI must be valid.*

630924 LN PURCH SERV NPI NOT ACTIVE IN CPS  
Line Level Purchased Service Provider National Provider Identifier (NPI) is not set up in the CPS Provider number database.

*Line Level Purchased Service Provider National Provider Identifier is located in Loop ID-2420B in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Purchased Service Provider NPI must be a valid, active NPI in the CPS database.*

630926 NPI REQUIRED LINE PURCH SERV PROV  
National Provider Identifier (NPI) is required for Line Level Purchased Service Provider .

*Line Level Purchased Service Provider National Provider Identifier is located in Loop ID-2420B in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. NPI is required for Line level Purchased Service Provider.*

631922 LN SUPVSNG NPI CHECK DIGIT INVALID  
Line Level Supervising Provider National Provider Identifier (NPI) Invalid.

*Line Level Supervising Provider National Provider Identifier is located in Loop ID-2420D in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Supervising Provider NPI must be valid.*

- 631924 LN SUPVSNG NPI NOT ACTIVE IN CPS  
Line Level Supervising Provider National Provider Identifier (NPI) is not set up in the CPS Provider number database.  
*Line Level Supervising Provider National Provider Identifier is located in Loop ID-2420D in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Supervising Provider NPI must be a valid, active NPI in the CPS database.*
- 631926 NPI REQUIRED FOR LN SUPVSNG PROV  
National Provider Identifier (NPI) is required for Line Level Supervising Provider.  
*Line Level Supervising Provider National Provider Identifier is located in Loop ID-2420D in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. NPI is required for Line level Supervising Provider.*
- 632922 LN ORDERING NPI CHECK DIGIT INV  
Line Level Ordering Provider National Provider Identifier (NPI) Invalid.  
*Line Level Ordering Provider National Provider Identifier is located in Loop ID-2420E in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Ordering Provider NPI must be valid.*
- 632924 LN ORDERING NPI NOT ACTIVE IN CPS  
Line Level Ordering Provider National Provider Identifier (NPI) is not set up in the CPS Provider number database.  
*Line Level Ordering Provider National Provider Identifier is located in Loop ID-2420E in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Ordering Provider NPI must be a valid, active NPI in the CPS database.*
- 632926 NPI REQUIRED FOR LN ORDERING PROV  
National Provider Identifier (NPI) is required for Line Level Ordering Provider.  
*Line Level Ordering Provider National Provider Identifier is located in Loop ID-2420E in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. NPI is required for Line level Ordering Provider.*
- 640002 SUBMITTER ID IS ALL ZEROS OR NINES  
Submitter Tax ID must be a valid Submitter Tax ID.  
*Submitter tax ID is located in Loop ID-1000A in the NM1 segment. If the 1<sup>st</sup> element in that segment is equal to '41', then the 9<sup>th</sup> element in that segment is the submitter tax ID. The submitter tax ID should not be equal to all zeros or 9's.*

640003            CREATION DATE > CURRENT DATE  
Creation Date must not be a future date.  
*Creation Date is located in the BHT segment. It is the 4<sup>th</sup> element in that segment. The creation date cannot be greater than the current date.*

640004            PROV EIN SSN NPI INVAL/NOT NUMERIC  
Provider's Employer Identification Number, Social Security Number and/or National Provider Identifier must be numeric and valid.  
*Employer's Identification Number, Social Security Number and National Provider Identifier for the Billing Provider are located in Loop ID-2010AA in the NM1 Segment. If the 1<sup>st</sup> element in that segment is equal to '85', then the 9<sup>th</sup> element in that segment is the Billing Provider Identification code.*  
*If the 8<sup>th</sup> element in that segment is equal to '24', then the 9<sup>th</sup> element is the Employer's Identification Number and must be 9 numeric digits.*  
*If the 8<sup>th</sup> element in that segment is equal to '34', then the 9<sup>th</sup> element is the Social Security Number and must be 9 numeric digits.*  
*If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element is the National Provider Identifier and must be 10 numeric digits.*  
*Employer's Identification Number and Social Security Number for the Billing Provider Secondary Identification are located in Loop ID-2010AA in the REF Segment.*  
*If the 1<sup>st</sup> element in that segment is equal to 'EI', then the 2<sup>nd</sup> element of that segment is the Employer's Identification Number and must be 9 numeric digits.*  
*If the 1<sup>st</sup> element in that segment is equal to 'SY', then the 2<sup>nd</sup> element of that segment is the Social Security Number and must be 9 numeric digits.*  
*Employer's Identification Number, Social Security Number and National Provider Identifier for the Billing Provider Identification Code and the Billing Provider Secondary Reference Identification must be numeric and valid.*

640005            PROV EIN/SSN IS ALL ZEROS OR NINES  
Provider's Employer Identification Number and/or Social Security Number must be a valid Provider EIN or SSN.  
*Employer's Identification Number and Social Security Number for the Billing Provider are located in Loop ID-2010AA in the NM1 Segment. If the 1<sup>st</sup> element in that segment is equal to '85', then the 9<sup>th</sup> element in that segment is the Billing Provider Identification code.*  
*If the 8<sup>th</sup> element in that segment is equal to '24', then the 9<sup>th</sup> element is the Employer's Identification Number.*  
*If the 8<sup>th</sup> element in that segment is equal to '34', then the 9<sup>th</sup> element is the Social Security Number.*  
*Employer's Identification Number and Social Security Number for the*

*Billing Provider Secondary Identification are located in Loop ID-2010AA in the REF Segment.*

*If the 1<sup>st</sup> element in that segment is equal to 'EI', then the 2<sup>nd</sup> element of that segment is the Employer's Identification Number.*

*If the 1<sup>st</sup> element in that segment is equal to 'SY', then the 2<sup>nd</sup> element of that segment is the Social Security Number.*

*Employer's Identification Number and/or Social Security Number for the Billing Provider Identification Code and the Billing Provider Secondary Reference Identification must be valid and not equal to all zeros or nines.*

- 640006      PATIENT DOB > CURRENT DATE  
Patient Birth Date must not be a future date.  
*Patient birth date is located in Loop ID-2010CA in the DMG segment. It is the 2<sup>nd</sup> element in that segment. The patient birth date cannot be greater than current date.*
- 640007      PAT DATE OF DEATH > CURRENT DATE  
Patient Date of Death must not be a future date.  
*Patient date of death is located in Loop ID-2000C in the PAT segment. It is the 6<sup>th</sup> element in that segment. The patient date of death cannot be greater than current date.*
- 640010      SUBSCRIBER DOB > CURRENT DATE  
Subscriber Birth Date must not be a future date.  
*Subscriber birth date is located in Loop ID-2010BA in the DMG segment. It is the 2<sup>nd</sup> element in that segment. The subscriber birth date cannot be greater than the current date.*
- 640011      ACCIDENT DATE > CURRENT DATE  
Accident Date must not be a future date.  
*Accident date is located in Loop ID-2300 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '439', then the 3<sup>rd</sup> element in that segment is the accident date. The accident date cannot be greater than the current date.*
- 640012      ACCIDENT DATE > DATE OF SERVICE  
Accident Date must be less than or equal to earliest date of service on the claim.  
*Accident date is located in Loop ID-2300 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '439', then the 3<sup>rd</sup> element in that segment is the accident date.*  
*Service Date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date. The first 8 bytes of the 3<sup>rd</sup> element are the service from date and bytes 10 thru 17 are the service to date. The accident date should be less than or equal to the earliest service date on the claim.*

- 640013      ACCIDENT STATE INVALID  
If Accident State is present, it must be a valid state abbreviation.  
*Accident state is located in Loop ID-2300 in the CLM segment. It is the 4<sup>th</sup> sub-element of 11<sup>th</sup> element. The accident state is validated against a table that contains valid state values.*
- 640014      SIMILAR SYMPTOM DATE > CURRENT DATE  
Similar Symptom Date must not be a future date.  
*Similar symptom date is located in Loop ID-2300 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '438', then the 3<sup>rd</sup> element in that segment is similar illness or symptom date. The similar illness or symptom date cannot be greater than the current date.*
- 640015      DISABILITY FROM DATE > CURRENT DATE  
Disability From Date must not be a future date.  
*Disability from date is located in Loop ID-2300 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '360', then the 3<sup>rd</sup> element in that segment is the disability from date. The disability from date cannot be greater than the current date.*
- 640016      DISABILITY TO DATE > CURRENT DATE  
Disability To Date must not be a future date.  
*Disability to date is located in Loop ID-2300 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '361', then the 3<sup>rd</sup> element in that segment is the disability to date. The disability to date cannot be greater than the current date.*
- 640017      ADMISSION DATE > CURRENT DATE  
Admission Date must not be a future date.  
*Admission date is located in Loop ID-2300 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '435', then the 3<sup>rd</sup> element in that segment is the hospitalization admission date. The hospitalization admission date cannot be greater than the current date.*
- 640018      DISCHARGE DATE > CURRENT DATE  
Discharge Date must not be future date.  
*Discharge date is located in Loop ID-2300 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '096', then the 3<sup>rd</sup> element in that segment is the hospitalization discharge date. The hospitalization discharge date cannot be greater than the current date.*
- 640019      DIAGNOSIS CODE MUST BE VALID ICD-9  
Diagnosis Code must be a valid ICD-9 diagnosis code.  
*Diagnosis code is located in LoopID-2300 in the HI segment. If the 1<sup>st</sup> sub-element of the 1<sup>st</sup> element is equal to 'BK', then the 2<sup>nd</sup> sub-element of*

*the 1<sup>st</sup> element is the principal diagnosis code. The principal diagnosis code is validated against the ICD-9 diagnosis code table. If the 1<sup>st</sup> sub-element of 2<sup>nd</sup> element is equal to 'BF', then the 2<sup>nd</sup> sub-element is the diagnosis code. The BF sub-elements may be repeated up through the 8<sup>th</sup> element. This may be required if needed to report additional diagnosis codes and if the preceding HI data elements have been used to report other diagnosis codes. All diagnosis codes are validated against the ICD-9 diagnosis code table.*

- 640020      LAST SEEN DATE > CURRENT DATE  
Last Seen Date must not be a future date.  
*Last seen date is located in Loop ID-2300 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '304', then the 3<sup>rd</sup> element in that segment is the last seen date. The last seen date cannot be greater than the current date.*
- 640022      FUTURE SVC FROM DATE INV FOR HCPCS  
Service From Date cannot be a future date with this HCPCS.  
*Service date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date. The first 8 bytes in the 3<sup>rd</sup> element are the service from date. The service from date for hcpcs code submitted on claim, cannot be future date.*
- 640023      FUTURE SVC TO DATE INV FOR HCPCS  
Service To Date cannot be a future date with this HCPCS.  
*Service date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date. Bytes 10 thru 17 in the 3<sup>rd</sup> element are the service to date. The service to date for hcpcs code submitted on claim cannot be future date.*
- 640024      SERVICE TO DATE<SERVICE FROM DATE  
Service To Date cannot be less than the Service From Date.  
*Service date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date. The first 8 bytes in the 3<sup>rd</sup> element are the service from date. Bytes 10 thru 17 in the 3<sup>rd</sup> element are the service to date. The service to date cannot be less than the service from date.*
- 640025      HCPCS PROCEDURE CODE MISSING  
HCPCS must be present and a valid code.  
*HCPCS procedure code is located in Loop ID-2400 in the SV1 segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code. The procedure code must be present.*

- 640026      PROC CODE MUST BE VALID HCPCS CODE  
Procedure Code must be a valid HCPCS code.  
*HCPCS procedure code is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code. The procedure code is validated against the HCPCS code table.*
- 640027      MODIFIER INVALID  
If Modifier present, it must be a valid modifier code.  
*Modifier is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 3<sup>rd</sup> sub-element is the procedure modifier. The procedure modifier is validated against the modifier table. If used, the 4<sup>th</sup>, 5<sup>th</sup>, and 6<sup>th</sup> sub-elements are additional procedure modifiers. The additional procedure modifiers are validated against the modifier table.*
- 640028      HGB/HCT DATE > CURRENT DATE  
HGB/HCT Date must not be a future date.  
*HGB/HCT date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '738', then the 3<sup>rd</sup> element in that segment is the test performed date. The test performed date cannot be greater than the current date.*
- 640029      SERUM CREATINE DATE > CURRENT DATE  
Serum Creatine Date must not be a future date.  
*Serum Creatine date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '739', then the 3<sup>rd</sup> element in that segment is the test performed date. The test performed date cannot be greater than the current date.*
- 640031      INITIAL TREAT DATE > CURRENT DATE  
Initial Treatment Date must not be a future date.  
*Initial treatment date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '454', then the 3<sup>rd</sup> element in that segment is the initial treatment date. The initial treatment date cannot be greater than the current date.*
- 640032      DATE OF LAST XRAY > CURRENT DATE  
Date of Last X-ray must not be a future date.  
*Last x-ray date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '455', then the 3<sup>rd</sup> element in that segment is the last x-ray date. The last x-ray date cannot be greater than the current date.*
- 640033      MANIFESTATION DATE > CURRENT DATE  
Manifestation Date must not be a future date.

*Manifestation date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '453', then the 3<sup>rd</sup> element in that segment is the acute manifestation date. The acute manifestation date cannot be greater than the current date.*

640034

**DIAG CD NOT IN EFFECT FOR SVC DT**

Diagnosis Code must be in effect for Service Date.

*Diagnosis code is located in LoopID-2300 in the HI segment. If the 1<sup>st</sup> sub-element of the 1<sup>st</sup> element is equal to 'BK', then the 2<sup>nd</sup> sub-element of the 1<sup>st</sup> element is the principal diagnosis code. The principal diagnosis code is validated against the ICD-9 diagnosis code table. If the 1<sup>st</sup> sub-element of 2<sup>nd</sup> element is equal to 'BF', then the 2<sup>nd</sup> sub-element is the diagnosis code. The BF sub-elements may be repeated up through the 8<sup>th</sup> element. This may be required if needed to report additional diagnosis codes and if the preceding HI data elements have been used to report other diagnosis codes.*

*Service Date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date. The first 8 bytes of the 3<sup>rd</sup> element are the service from date and bytes 10 thru 17 are the service to date. The diagnosis code must be in effect for service date.*

640035

**PROC CD NOT IN EFFECT FOR SVC DT**

Procedure Code must be in effect for Service Date.

*Procedure code is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code.*

*Service Date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date. The first 8 bytes of the 3<sup>rd</sup> element are the service from date and bytes 10 thru 17 are the service to date. The procedure code must be in effect for service date.*

640036

**MODIFIER NOT IN EFFECT FOR SVC DT**

Modifier must be in effect for Service Date.

*Modifier is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 3<sup>rd</sup> sub-element is the procedure modifier 1.*

*Service Date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date. The first 8 bytes of the 3<sup>rd</sup> element are the service from date and bytes 10 thru 17 are the service to date. The modifier must be in effect for service date.*

640037

**SERVICE FROM DATE IS INVALID**

Service From Date must be a valid date.

*Service date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date. The first 8 bytes in the 3<sup>rd</sup> element are the service from date. The service from date must be a valid date in CCYYMMDD format.*

640038 SERVICE TO DATE IS INVALID

Service To Date must be a valid date.

*Service date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date. The first 8 bytes in the 3<sup>rd</sup> element are the service from date. Bytes 10 thru 17 in the 3<sup>rd</sup> element are the service to date. The service to date must be a valid date in CCYYMMDD format.*

640039 MORE SPECIFIC DIAGNOSIS CD REQUIRED

Diagnosis Code must be more specific diagnosis code.

*Diagnosis code is located in LoopID-2300 in the HI segment. If the 1<sup>st</sup> sub-element of the 1<sup>st</sup> element is equal to 'BK', then the 2<sup>nd</sup> sub-element of the 1<sup>st</sup> element is the principal diagnosis code. If the 1<sup>st</sup> sub-element of 2<sup>nd</sup> element is equal to 'BF', then the 2<sup>nd</sup> sub-element is the diagnosis code. The BF sub-elements may be repeated up through the 8<sup>th</sup> element. The diagnosis code must be a more specific diagnosis code.*

640040 DIAGNOSIS POINTER MISSING/INVALID

Diagnosis Pointer must be present and a valid code.

*Diagnosis Code pointer is located in Loop ID-2400 in the SVI segment. Sub-elements 1 thru 4 of the 7<sup>th</sup> element contain the diagnosis code pointer. Diagnosis code pointer must be present and a numeric value from '1' – '8'.*

640041 DIAG POINTER PRES, CODE MISSING

Diagnosis Pointer Present, Diagnosis Code is missing.

*Diagnosis code pointer is located in Loop ID-2400 in the SVI segment. Sub-elements 1 thru 4 of the 7<sup>th</sup> element contain the diagnosis code pointer.*

*Diagnosis code is located in LoopID-2300 in the HI segment. If the 1<sup>st</sup> sub-element of the 1<sup>st</sup> element is equal to 'BK', then the 2<sup>nd</sup> sub-element of the 1<sup>st</sup> element is the principal diagnosis code. If the 1<sup>st</sup> sub-element of 2<sup>nd</sup> element is equal to 'BF', then the 2<sup>nd</sup> sub-element is the diagnosis code. A corresponding diagnosis code must be present for every diagnosis code pointer present.*

640042 PLACE OF SERVICE INVALID

Place of Service must be a valid Place of Service code.

*Place of service code is located in Loop ID-2300 in the CLM segment. It is the 1<sup>st</sup> sub-element of the 5<sup>th</sup> element. The place of service code is*

*validated against the place of service code table.*

- 640043      POS NOT IN EFFECT FOR SERVICE DATE  
Place of Service must be in effect for Service Date.  
*Place of service code is located in Loop ID-2300 in the CLM segment. It is the 1<sup>st</sup> sub-element of the 5<sup>th</sup> element.  
Service date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date. The place of service code must be in effect for service date.*
- 640044      FIRST LX NOT EQUAL TO '1'  
First Service Line LX Segment number must be equal to '1'.  
*Service line number is located in Loop ID-2400 in the LX segment. It is the 1<sup>st</sup> element in that segment. The first service line LX segment must be equal to '1'.*
- 640045      LX IS OUT OF SEQUENCE  
Service Line LX Segment Number must be 1 greater than the previously encountered LX Segment Number.  
*Service line number is located in Loop ID-2400 in the LX segment. It is the 1<sup>st</sup> element in that segment. The first service line LX segment begins with '1' and is increased by one for each additional service line of the claim.*
- 640046      HIPAA NONCOMPLIANT CLM NOT ACCEPTED  
Version Code must be HIPAA Compliant '004010X098A1'.  
*Version code is located in the GS segment. It is the 8<sup>th</sup> element in that Segment. The version code must be '004010X098A1'.*
- 640047      TOTAL CHGS CAN'T BE LESS THAN ZERO  
Total Claim Charge Amount cannot be less than Zero.  
*Total claim charge amount is located in Loop ID-2300 in the CLM segment. It is the 2<sup>nd</sup> element in that segment. The total charge amount for the claim cannot be less than zero.*
- 640048      SERVICE FROM YEAR INVALID  
Service From Year must be reasonable year.  
*Service date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date. The first 8 bytes in the 3<sup>rd</sup> element are the service from date. The service from year must be a valid year after 1945.*
- 640049      CLAIM RENDERING NPI NOT = 10 DIGITS  
Claim Level Rendering National Provider Identifier (NPI) exceeds 10 Digits in length.

*Claim Level Rendering National Provider Identifier is located in Loop ID-2310B in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Rendering Provider NPI must equal 10 digits in length.*

- 640050      LINE RENDERING NPI NOT = 10 DIGITS  
Line Level Rendering National Provider Identifier (NPI) exceeds 10 Digits in length.  
*Line Level Rendering National Provider Identifier is located in Loop ID-2420A in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Rendering Provider NPI must equal 10 digits in length.*
- 640051      NO ENCOUNTER AGREEMENT IN PLACE  
Encounter Agreement is not in place at this time.  
*Claim or Encounter Identifier is located in the BHT segment. It is the 6<sup>th</sup> element in that segment. If the identifier is equal to 'RP', then the transaction is an encounter. Encounter agreement is not in place at this time.*
- 650001      TENNCARE ELIGIBILITY NOT FOUND  
TennCare<sup>SM</sup> eligibility could not be found.  
*Subscriber ID is located in Loop ID-2010BA in the NMI segment. If the 1<sup>st</sup> element in that segment is equal to 'IL' and the 2<sup>nd</sup> element is equal to '1', then the 9<sup>th</sup> element in that segment is the subscriber ID. The subscriber ID is not found in the TennCare<sup>SM</sup> eligibility database.*
- 650002      SUB FOUND, DOB & NAME DO NOT MATCH  
Subscriber Identification number found, Date of Birth and Name do not match TennCare<sup>SM</sup> eligibility file.  
*Subscriber ID is located in Loop ID-2010BA in the NMI segment. If the 1<sup>st</sup> element in that segment is equal to 'IL' and the 2<sup>nd</sup> element is equal to '1', then the 9<sup>th</sup> element in that segment is the subscriber ID.  
Subscriber Name is located in Loop ID-2010BA in the NMI segment. If the 1<sup>st</sup> element in that segment is equal to 'IL' and the 2<sup>nd</sup> element is equal to '1', then the 3<sup>rd</sup> element is the subscriber last name and the 4<sup>th</sup> element is the subscriber first name.  
Subscriber date of birth is located in Loop ID-2010BA in the DMG segment. It is the 2<sup>nd</sup> element in that segment.  
Subscriber ID found, date of birth and name do not match TennCare<sup>SM</sup> eligibility file.*
- 650004      ANESTH MOD WITH NON-ANESTHESIA PROC  
If Modifier equals Anesthesia Modifier, Procedure Code must equal 00100 – 01995 or 01999 - 02020.

*Procedure code is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code.*

*Modifier is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 3<sup>rd</sup> sub-element is the procedure modifier 1. The procedure modifier 1 is validated against the table that contains valid values for anesthesia modifiers. If the procedure modifier 1 is a valid anesthesia modifier, then the procedure code must be a valid anesthesia procedure and equal to '00100' – '01995' or '01999' – '02020'.*

650005 PROC CD NOT=00100-01995,01999-02020  
If Basis For Measurement Code is equal to MJ, the Procedure Code must be equal to 00100 - 01995 or 01999 - 02020.  
*Basis for measurement code is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 3<sup>rd</sup> element is the basis for measurement code.*  
*Procedure code is located in LoopID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code. If the basis for measurement code is equal to 'MJ', then the procedure code must be between '00100' - '01995' or '01999' - '02020'.*

650006 PROC NOT VALID WITH EMERG TRANS  
Procedure Code not valid with emergency transportation codes.  
*Procedure code is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code. This procedure code is validated against the table that contains valid emergency transportation procedure codes. If the procedure code is located on the table, the claim is an emergency transportation claim and cannot contain any procedure codes that are not emergency transportation codes.*

650007 MOD 1 MUST BE PRESENT IF ANESTHESIA  
If Procedure Code is equal to 00100 - 01995 or 01999 - 02020, Anesthesia Modifier 1 is required.  
*Modifier is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of the 1<sup>st</sup> element is equal to 'HC', then the 3<sup>rd</sup> sub-element is the procedure modifier 1.*  
*Procedure code is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of the 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code. If the procedure code is equal to '00100' - '01995' or '01999' - '02020', then an anesthesia modifier is required.*

650008 MOD MUST BE VALID ANESTHESIA MOD

If Procedure Code is equal 00100 - 01995 or 01999 - 02020, modifier 1 must be a valid anesthesia modifier and equal to AA, AD, QK, QX, QY, or QZ.

*Modifier is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of the 1<sup>st</sup> element is equal to 'HC', then the 3<sup>rd</sup> sub-element is the procedure modifier 1. The procedure modifier 1 is validated against the table that contains valid anesthesia modifiers.*

*Procedure code is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of the 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code. If procedure code is equal to '00100' - '01995' or '01999' - '02020', then the procedure modifier 1 must be a valid anesthesia modifier and equal to 'AA', 'AD', 'QK', 'QX', 'QY' or 'QZ'.*

650009

#### MODIFIER USED MORE THAN ONCE

If procedure code is equal 00100-01995 or 01999-02020, modifier may not be the same as modifier in any other line item.

*Modifier is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 3<sup>rd</sup> sub-element is the procedure modifier 1.*

*Procedure code is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of the 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code. If the procedure code is equal to '00100' - '01995' or '01999' - '02020', then the procedure modifier 1 cannot be the same as the procedure modifier 1 on any other anesthesia line item.*

650011

#### ANESTHESIA MINUTES MUST = 0001-9999

If Procedure Code is equal 00100-01995 or 01999-02020, anesthesia minutes must be equal to or greater than 0001 and less than or equal to 9999.

*Anesthesia minutes is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of the 1<sup>st</sup> element is equal to 'HC' and the 3<sup>rd</sup> element is equal to 'MJ', then the 4<sup>th</sup> element is the anesthesia minutes.*

*Procedure code is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code. If the procedure code is equal to '00100' - '01995', or '01999' - '02020', then the anesthesia minutes must equal '0001' - '9999'.*

650012

#### MEDICARE EOB REQUIRED – EMER TRANS

Medicare EOB is required for emergency transportation claim.

*Procedure code is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code. The procedure code is validated against the table that contains valid emergency transportation procedure codes. If the procedure code is found on the table, the claim is an emergency transportation claim. When the subscriber has any effective Medicare A or B coverage, a Medicare EOB is required.*

- 650013      **MDCARE EOB REQ –PROC/MOD CVD BY MCB**  
Medicare EOB required, procedure / modifier covered by Medicare B.  
*Procedure code is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code. This procedure code is validated against the table that contains valid non-emergency transportation procedure codes. If procedure code is found on the table, then the claim is a non-emergency transportation claim.*  
*Modifier is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 3<sup>rd</sup> sub-element is the procedure modifier 1. The procedure modifier 1 is validated against the table that contains valid values for non-emergency modifiers. If the procedure modifier 1 is found on the table and the claim is a non-emergency transportation claim, a Medicare EOB is required.*
- 650019      **EMER TRANS CLM CANT BE FILED BY CSA**  
Emergency Transportation Claim cannot be filed by Community Service Agency (CSA).  
*Submitter tax ID is located in Loop ID-1000A in the NM1 segment. If the 1<sup>st</sup> element in that segment is equal to '41', then the 9<sup>th</sup> element in that segment is the submitter tax ID. The first 9 bytes of the submitter tax ID are validated against the table that contains valid values for the CSA tax IDs.*  
*Procedure code is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of the 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code. The procedure code is validated against the table that contains valid emergency transportation procedure codes. If the procedure code is found on the table, then the claim is an emergency transportation claim, and cannot be filed by the CSA.*
- 650021      **PRIOR AUTH # REQ – NON-EMER TRANS**  
Prior Authorization Number is required for non-emergency claim.  
*Prior Authorization number is located in Loop ID-2300 in the REF segment. If the 1<sup>st</sup> element in that segment is 'G1', then the 2<sup>nd</sup> element is the prior authorization number.*  
*Procedure code is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of the 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code. The procedure code is validated against the table that contains valid non-emergency transportation procedure codes. If the procedure code is found on the table, then the claim is a non-emergency transportation claim and a prior authorization number is required.*
- 650022      **SERVICE UNIT COUNT MUST BE > ZERO**  
Service Unit Count must be greater than zero.  
*Service unit count is located in Loop ID-2400 in the SVI segment. It is*

*the 4<sup>th</sup> element in that segment. This service unit count must be greater than zero.*

- 650023      ANESTH PROC CD PRES/MEAS CD NOT MJ  
If the Procedure Code is Anesthesia Procedure Code, 00100 - 01995 or 01999 - 02020, then the Basis for Measurement Code must be equal to MJ.  
*Procedure code is located in LoopID-2400 in the SV1 segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code.*  
*Basis for measurement code is located in Loop ID-2400 in the SV1 segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 3<sup>rd</sup> element is the basis for measurement code. If the procedure code is equal to '00100' - '01995' or '01999' - '02020', then the basis for measurement code must be equal to 'MJ'.*
- 650026      SEC CLAIM – NO PRIMARY PAYER INFO  
Primary Payer Information must be present if claim is Secondary claim.  
*Payer responsibility sequence number code is located in Loop ID-2000B in the SBR segment. If the 1<sup>st</sup> element in the segment is equal to 'S' or 'T', then Loop ID-2320 must also be present and the 1<sup>st</sup> element in the SBR segment must be equal to 'P' or 'S'. Primary payer information must be present on secondary claim.*
- 650028      CLM LEVEL CLM ADJ REASON CODE INV  
Claim Level Claim Adjustment Reason Code Invalid.  
*Claim level claim adjustment reason code is located in Loop ID-2320 in the CAS segment. The 2<sup>nd</sup>, 5<sup>th</sup>, 8<sup>th</sup>, 11<sup>th</sup>, 14<sup>th</sup>, and 17<sup>th</sup> elements contain the claim adjustment reasons. These reason codes are validated against the adjustment reason code table.*
- 650030      CLAIM ADJUDICATION DATE MISSING  
Claim Adjudication Date is Missing.  
*Claim level other payer claim adjudication date is located in Loop ID-2330B in the DTP segment. It is the 3<sup>rd</sup> element in that segment.*  
*Line level other payer claim adjudication date is located in Loop ID-2430 in the DTP segment. It is the 3<sup>rd</sup> element in that segment.*  
*If the 1<sup>st</sup> element in either DTP segment is equal to '573', then the claim adjudication date must be present at either the claim level or line level.*
- 650031      CLM ADJUDICATION DATE>CURRENT DATE  
Claim Level Adjudication Date must not be a future date.  
*Claim level other payer claim adjudication date is located in Loop ID-2330B in the DTP segment. If the 1<sup>st</sup> element in the segment is equal to*

*'573', then the third element is the claim adjudication date. The claim adjudication date must not be greater than current date.*

- 650032      LINE LEVEL CLM ADJ REASON CODE INV  
Line Level Claim Adjustment Reason Code Invalid.  
*Line level claim adjustment reason code is located in Loop ID-2430 in the CAS segment. The 2<sup>nd</sup>, 5<sup>th</sup>, 8<sup>th</sup>, 11<sup>th</sup>, 14<sup>th</sup>, and 17<sup>th</sup> elements contain the claim adjustment reasons. These reason codes are validated against the adjustment reason code table.*
- 650033      CLM ADJUDICATION DATE>CURRENT DATE  
Line Level Adjudication Date must not be a future date.  
*Line level other payer claim adjudication date is located in Loop ID-2430 in the DTP segment. If the 1<sup>st</sup> element in the segment is equal to '573', then the third element is the claim adjudication date. The claim adjudication date must not be greater than current date.*
- 650034      OTHER INS POLICY NUMBER MISSING  
Other Insured's Policy Number is Missing.  
*Identification code is located in Loop ID-2330A in the NMI segment. It is the 9<sup>th</sup> element in that segment. Identification code must be present.*
- 650036      SERVICE FROM DATE > CURRENT DATE  
Service From Date must not be a future date.  
*Service date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date. The first 8 bytes in the 3<sup>rd</sup> element are the service from date. The service from date cannot be greater than the current date.*
- 650037      SERVICE TO DATE > CURRENT DATE  
Service To Date must not be a future date.  
*Service date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date. Bytes 10 thru 17 in the 3<sup>rd</sup> element are the service to date. The service to date cannot be greater than the current date.*
- 650052      PAYER PD AMT MISSING/SECONDARY CLM  
Payer Paid Amount is required if claim is Secondary COB claim.  
*Payer amount paid is located in Loop ID-2320 in the AMT segment. It is the 2<sup>nd</sup> element in that segment. Payer paid amount must be present if claim is a secondary COB claim.*
- 650053      ADJ REASON MISSING/SECONDARY CLAIM  
Adjustment Reason Code required.

*Claim level adjustment reason code is located in Loop ID-2320 in the 2<sup>nd</sup>, 5<sup>th</sup>, 8<sup>th</sup>, 11<sup>th</sup>, 14<sup>th</sup>, and 17<sup>th</sup> element of the CAS segment.*

*Line level adjustment reason code is located in Loop ID-2430 in the 2<sup>nd</sup>, 5<sup>th</sup>, 8<sup>th</sup>, 11<sup>th</sup>, 14<sup>th</sup>, and 17<sup>th</sup> element of the CAS segment. If claim is a COB secondary claim and the AMT segment contains the qualifier 'D', and the payer paid amount in the AMT02 is not equal to the total claim charge amount in the CLM02, an adjustment reason code is required.*

650054

**CLM LEVEL ADJUDICATION DATE MISSING**

Claim Level Adjudication Date is required.

*Claim level claim adjudication date is located in Loop ID-2330B in the DTP segment. If the first element in that segment is equal to '573', then the third element in that segment is the adjudication date. If claim is a secondary claim and another secondary payer has adjudicated the claim, and the 2320 loop contains an AMT segment with the first element equal to 'D', then the claim level adjudication date is required.*

650055

**CLM LEVEL OTHER PAYER PAID MISSING**

Claim Level Other Payer Paid Amount is required.

*Claim level payer paid amount is located in Loop ID-2320 in the AMT segment. If the first element in that segment is equal to 'D', then the second element in that segment is the payer paid amount. If claim is a secondary claim and another secondary payer has adjudicated the claim, and the 2330B loop contains a DTP segment with the first element equal to '573', then the claim level payer paid amount is required.*

650056

**QUANTITY / UNITS CONTAINS A DECIMAL**

Quantity / Units cannot contain a decimal point.

*Quantity / Units is located in Loop ID-2400 in the SVI segment. It is the 4<sup>th</sup> element in that segment. Quantity / units cannot contain a decimal point.*

650057

**PROC CD TOO LONG, CHECK DELIMITERS**

Procedure Code cannot be longer than five characters.

*Procedure Code is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of the 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code. HCPCS procedure code cannot exceed five characters.*

650058

**PLACE OF SERVICE INV TENNCARE CLAIM**

Place of Service Code is not accepted on TennCare<sup>SM</sup> claims.

*Place of service code is located in Loop ID-2400 in the SVI segment. It is the 5<sup>th</sup> element in that segment. The place of service code is not accepted on TennCare<sup>SM</sup> claims.*

- 650059      **DIAGNOSIS CD CAN'T BE > 5 POSITIONS**  
Diagnosis Code cannot exceed 5 positions.  
*Diagnosis code is located in Loop ID-2300 in the HI segment. If the 1<sup>st</sup> sub-element of the 1<sup>st</sup> element is equal to 'BK', then the 2<sup>nd</sup> sub-element of the 1<sup>st</sup> element is the principal diagnosis code. If the 1<sup>st</sup> sub-element of the 2<sup>nd</sup> element is equal to 'BF', then the 2<sup>nd</sup> sub-element is the diagnosis code. The BF sub-elements may be repeated up through the 8<sup>th</sup> element. This may be required if needed to report additional diagnosis codes and if the preceding HI data elements have been used to report other diagnosis codes. The diagnosis code should not be greater than 5 positions.*
- 650060      **DATE OF SERV < PAT DATE OF BIRTH**  
Date of Service cannot be less than the Patient Date of Birth.  
*Date of service is located in Loop ID-2400 in the DTP segment. If the first element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the date of service.  
Patient date of birth is located in Loop ID-2010CA in the DMG segment. It is the 2<sup>nd</sup> element in that segment.  
Subscriber date of birth is located in Loop ID-2010BA in the DMG segment. It is the 2<sup>nd</sup> element in that segment. If the 3<sup>rd</sup> element of the HL segment in Loop ID-2000B is equal to '22' and the 4<sup>th</sup> element in that segment is equal to '0', then the subscriber date of birth is the patient date of birth. The date of service cannot be less than the patient date of birth.*
- 650062      **MODIFIER 1 MISSING, MOD 2,3,4 PRES**  
Modifier 1 is required if Modifier 2, 3, or 4 is present.  
*Modifier is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 3<sup>rd</sup>, 4<sup>th</sup>, 5<sup>th</sup>, and 6<sup>th</sup> sub-elements are the procedure code modifiers. Modifier 1 is required if modifier 2, 3, or 4 is present.*
- 650063      **DUPLICATE MOD PRES SAME LINE ITEM**  
Modifiers cannot be duplicated on the same Line Item.  
*Modifier is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 3<sup>rd</sup>, 4<sup>th</sup>, 5<sup>th</sup>, and 6<sup>th</sup> sub-elements are the procedure code modifiers. Modifiers cannot be duplicated on the same line item.*
- 650064      **PROC CODE UNITS > 1 NOT ALLOWED**  
Procedure Code Units may not be greater than one for specific Procedure Codes.  
*HCPCS procedure code is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code.  
Unit count is located in Loop ID-2400 in the SVI segment. If the 3<sup>rd</sup> element in that segment is equal to 'UN', then the 4<sup>th</sup> element in that*

*segment is the unit count. The unit count cannot be greater than one for specific procedure codes.*

- 650065      **BENEFITS ASSIGNMENT INFO CONFLICT**  
Benefits Assignment Indicator conflicts with Patient Signature Source Code.  
*Assignment of benefits indicator is located in Loop ID-2300 in the CLM segment. It is the 8<sup>th</sup> element in that segment.*  
*Patient signature source code is located in Loop ID-2300 in the CLM segment. It is the 10<sup>th</sup> element in that segment. Assignment of Benefits indicator 'N' conflicts with Patient Signature Source of 'B' or 'M'.*
- 650066      **RELEASE OF INFORMATION CONFLICT**  
Release of Information Code conflicts with Patient Signature Source Code.  
*Release of information code is located in Loop ID-2300 in the CLM segment. It is the 9<sup>th</sup> element in that segment.*  
*Patient signature source code is located in Loop ID-2300 in the CLM segment. It is the 10<sup>th</sup> element in that segment. Release of information code 'N' conflicts with patient Signature Source 'B' or 'S'.*
- 650067      **NDC CODE REQUIRED FOR HIT PROCEDURE**  
National Drug Code (NDC) required for Home Infusion Therapy (HIT) drug procedure code.  
*NDC is located in Loop ID-2410 in the LIN segment. If the 2<sup>nd</sup> element in that segment is equal to 'N4', then the 3<sup>rd</sup> element in that segment is the NDC.*  
*HCPCS procedure code is located in Loop ID-2400 in the SV1 segment. If the 1<sup>st</sup> sub-element of the 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code. NDC is required for HIT drug procedure code if the date of service is equal to or greater than 07/01/2005.*
- 650068      **NDC MUST BE ELEVEN NUMERIC DIGITS**  
National Drug Code (NDC) must be eleven numeric digits.  
*NDC is located in Loop ID-2410 in the LIN segment. If the 2<sup>nd</sup> element in that segment is equal to 'N4', then the 3<sup>rd</sup> element in that segment is the NDC. NDC must be eleven numeric digits.*
- 650069      **CFI 'MC' VALID MEDICAID CLAIMS ONLY**  
Claim Filing Indicator MC is valid for Medicaid claims only.  
*Claim filing indicator is located in Loop ID-2000B in the SBR segment.*  
*If the 1<sup>st</sup> element in that segment is equal to 'P', then the 9<sup>th</sup> element in that segment is the claim filing indicator. Claim filing indicator 'MC' is valid for Medicaid claims only.*
- 650070      **NDC REQ FOR PROV ADM DRUGS**  
National Drug Code (NDC) required for Provider administered drugs.

*NDC is located in Loop ID-2410 in the LIN segment. If the 2<sup>nd</sup> element in that segment is equal to 'N4', then the 3<sup>rd</sup> element in that segment is the NDC.*

*HCPCS procedure code is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of the 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code.*

*Date of service is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the date of service. NDC is required for provider administered drugs if the first character of the procedure code is equal to 'J' and the date of service is equal to or greater than 06/01/2007.*

650071      **NDC QUAN REQ FOR PROV ADM DRUGS**  
National Drug Code (NDC) Quantity required for Provider administered drugs.  
*NDC Quantity is located in Loop ID-2410 in the CTP segment. It is the 4<sup>th</sup> element in that segment.*  
*HCPCS procedure code is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of the 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code.*  
*Date of service is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the date of service. NDC quantity is required for provider administered drugs if the first character of the procedure code is equal to 'J' and the date of service is equal to or greater than 06/01/2007.*

650072      **NDC QUAN REQ FOR HIT PROCEDURE**  
National Drug Code (NDC) Quantity required for Home Infusion Therapy (HIT) drug procedure code.  
*NDC Quantity is located in Loop ID-2410 in the CTP segment. It is the 4<sup>th</sup> element in that segment.*  
*HCPCS procedure code is located in Loop ID-2400 in the SVI segment. If the 1<sup>st</sup> sub-element of the 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code. NDC quantity is required for HIT drug procedure code if the date of service is equal to or greater than 07/01/2005.*

650073      **BILLING PROV ZIP MUST BE 9 DIGITS**  
Billing Provider Zip Code must be 9 digits for Medicare Advantage to determine the correct payment locality for services paid under Medicare Physician Fee Schedule (MPFS) and anesthesia services.  
*Billing provider zip code is located in Loop ID-2010AA in the N4 segment. It is the 3<sup>rd</sup> element in that segment. The billing provider zip code must be 9 digits.*

650074      **FACILITY ZIP CODE MUST BE 9 DIGITS**

Facility Zip Code must be 9 digits for Medicare Advantage to determine the correct payment locality for services paid under Medicare Physician Fee Schedule (MPFS) and anesthesia services.

*Facility zip code is located in Loop ID-2310D in the N4 segment. It is the 3<sup>rd</sup> element in that segment. The facility zip code must be 9 digits.*

- 650075 CLM REFERRING NPI NOT = 10 DIGITS  
Claim Level Referring Provider National Provider Identifier (NPI) not equal to 10 Digits in length.  
*Claim Level Referring Provider National Provider Identifier is located in Loop ID-2310A in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Referring Provider NPI must equal ten digits in length.*
- 650076 CLM PURCH SERV NPI NOT = 10 DIGITS  
Claim Purchased Service Provider National Provider Identifier (NPI) must equal 10 Digits in length.  
*Claim Level Purchased Service Provider National Provider Identifier is located in Loop ID-2310C in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Purchased Service Provider NPI must equal ten digits in length.*
- 650077 CLM SERV FAC NPI NOT = 10 DIGITS  
Claim Level Servicing Facility Location National Provider Identifier (NPI) must equal 10 Digits in length.  
*Claim Level Servicing Facility Location National Provider Identifier is located in Loop ID-2310D in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Servicing Facility Location NPI must equal ten digits in length.*
- 650078 CLM SUPVSNG NPI NOT = 10 DIGITS  
Claim Level Supervising Provider National Provider Identifier (NPI) must equal 10 Digits in length.  
*Claim Level Supervising Provider National Provider Identifier is located in Loop ID-2310E in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Supervising Provider NPI must equal ten digits in length.*
- 650079 LN PURCH SERV NPI NOT = 10 DIGITS  
Line Level Purchased Service Provider National Provider Identifier (NPI) must equal 10 digits in length.  
*Line Level Purchased Service Provider National Provider Identifier is located in Loop ID-2420B in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI.*

*Line level Purchased Service Provider NPI must equal 10 digits in length.*

- 650080 LN SERV FAC NPI NOT = 10 DIGITS  
Line Level Service Facility Location National Provider Identifier (NPI) must equal 10 Digits in length.  
*Line Level Service Facility Location National Provider Identifier is located in Loop ID-2420C in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Service Facility Location NPI must equal ten digits in length.*
- 650081 LN SUPVSNG NPI NOT = 10 DIGITS  
Line Level Supervising Provider National Provider Identifier (NPI) must equal 10 Digits in length.  
*Line Level Supervising Provider National Provider Identifier is located in Loop ID-2420D in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Supervising Provider must equal ten digits in length.*
- 650082 LN ORDERING NPI NOT = 10 DIGITS  
Line Level Ordering Provider National Provider Identifier (NPI) must equal 10 Digits in length.  
*Line Level Ordering Provider National Provider Identifier is located in Loop ID-2420E in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Ordering Provider NPI must equal ten digits in length.*
- 650083 LN REFERRING NPI NOT = 10 DIGITS  
Line Level Referring Provider National Provider Identifier (NPI) must equal 10 Digits in length.  
*Line Level Referring Provider National Provider Identifier is located in Loop ID-2420F in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Referring Provider NPI must equal ten digits in length.*
- 650084 UNITS NOT EQUAL DAYS IN DATE SPAN  
Units count must equal the number of days in the Dates of Service Span for procedure codes 99201 - 99499.  
*Unit Count is located in Loop ID-2400 in the SV1 segment. If the 3<sup>rd</sup> element in that segment is equal to 'UN', then the 4<sup>th</sup> element is the unit count.*  
*Service Date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date.*  
*Procedure Code is located in Loop ID-2400 in the SV1 segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code.*

*Procedure Modifier is located in Loop ID-2400 in the SV1 segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 3<sup>rd</sup> sub-element is the procedure modifier. Units count must equal the number of days in the dates of service span for procedure codes 99201 – 99499. This edit applies to BlueCare/TennCareSelect claims only and is not applicable if the procedure modifier '25' is present on the line item.*

650085

**NON-EMER TRANS CANT BE FILED BY CSA**

Non-Emergency Transportation Claim cannot be filed by Community Service Agency (CSA) after 09/06/2008.

*Submitter tax ID is located in Loop ID-1000A in the NM1 segment. If the 1<sup>st</sup> element in that segment is equal to '41', then the 9<sup>th</sup> element in that segment is the submitter tax ID. The first 9 bytes of the submitter tax ID are validated against the table that contains valid values for the CSA tax IDs.*

*Procedure code is located in Loop ID-2400 in the SV1 segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'HC', then the 2<sup>nd</sup> sub-element is the procedure code. The procedure code is validated against the table that contains valid non-emergency transportation procedure codes. If the procedure code is found on the table, then the claim is a non-emergency transportation claim.*

*Service date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date. The first 8 bytes in the 3<sup>rd</sup> element are the service from date. If the service from date is on or after 09/06/2008, the claim cannot be filed by the CSA.*

650086

**SEC CLM – CFI & INS TYPE MUST MATCH**

The Claim Filing Indicator Code and the Primary Payer Insurance Type Code must match for Medicare Part B, Medicare Conditionally Primary, or Medicare Primary if claim is secondary claim.

*Claim filing indicator code is located in Loop ID-2320 in the SBR segment. It is the 9<sup>th</sup> element in that segment.*

*Insurance type code is located in Loop ID-2320 in the SBR segment. It is the 5<sup>th</sup> element in that segment. If the claim filing indicator is equal to 'MB', then the insurance type code must be equal to 'MB', 'MP', or 'CP'.*

650087

**SEC COB LINE INFO OUT OF BALANCE**

Secondary Coordination of Benefits Information must Balance at the Line Level.

*Line level paid amount is located in Loop ID-2430 in the SVD segment. It is the 2<sup>nd</sup> element in that segment.*

*Line level adjustment amount is located in Loop ID-2430 in the CAS segment. The 3<sup>rd</sup>, 6<sup>th</sup>, 9<sup>th</sup>, 12<sup>th</sup>, 15<sup>th</sup>, and 18<sup>th</sup> elements contain the line adjustment amounts.*

*Line level charge amount is located in Loop ID-2400 in the SVI segment. It is the 2<sup>nd</sup> element in that segment. The accumulated SVD segment paid amount and the CAS segment(s) adjustment amount(s) should balance to the line level charge amount.*

- 650089      OTHER PAYER PAID AMOUNT CAN'T BE <0  
Other Payer Paid Amount cannot be less than zero.  
*Payer paid amount is located in Loop-ID 2320 in the AMT segment. If the 1<sup>st</sup> element in that segment is equal to 'D', then the 2<sup>nd</sup> element in that segment is the payer paid amount and it cannot be less than zero. This edit is applicable for BlueCross and BlueCare/TennCareSelect claims.*
- 650090      CLM MUST BE FILED WITH EYEMED  
Claim must be filed with EyeMed Vision Care.  
*Member is enrolled in VisionBlue. Routine vision care claims processing is handled by EyeMed Vision Care. Please resubmit claim to EyeMed.*
- 650091      CLAIM LEVEL NTE SEG MISSING/INVALID  
Claim Level NTE Segment must be present and valid for BlueCare/TennCareSelect Durable Medical Equipment (DME) claims and BlueCross BlueShield of Tennessee BlueAdvantage claims for DME, Orthotics, Prosthetics, or Supplies.  
*Claim NTE segment is located in Loop ID-2300.  
Note reference code is located in Loop ID-2300 in the NTE segment. It is the 1<sup>st</sup> element in that segment.  
Description is located in Loop ID-2300 in the NTE segment. It is the 2<sup>nd</sup> element in that segment.  
If the claim is a BlueCare/TennCareSelect DME claim or BlueCross BlueShield of Tennessee BlueAdvantage claim for DME, Orthotics, Prosthetics, or Supplies, then the claim NTE segment must be present with a note reference code of 'PMT'.  
Description must contain CC in the first two positions followed by a space and CCYYMMDD claim received date followed by a space and CCYYMMDD claim paid date. If a reject code is applicable, the claim paid date should be followed by a space and a 3 position reject reason code.*
- 650092      CLAIM LEVEL RENDERING NPI REQUIRED  
Claim Level Rendering Provider National Provider Identifier (NPI) is required for BlueCare/TennCareSelect Durable Medical Equipment (DME) claims and BlueCross BlueShield of Tennessee BlueAdvantage claims for DME, Orthotics, Prosthetics, or Supplies.  
*Claim level rendering provider NPI is located in Loop ID-2310B in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then*

*the 9<sup>th</sup> element in that segment is the NPI. Claim level rendering NPI is required for BlueCare/TennCareSelect DME claims and BlueCross BlueShield of Tennessee BlueAdvantage claims for DME, Orthotics, Prosthetics, or Supplies.*

650093

**LINE LEVEL NTE SEGMENT INVALID**

Line Level NTE Segment must be valid for BlueCare/TennCareSelect Durable Medical Equipment (DME) claims and BlueCross BlueShield of Tennessee BlueAdvantage claims for DME, Orthotics, Prosthetics, or Supplies.

*Line NTE segment is located in Loop ID-2400.*

*Note reference code is located in Loop ID-2400 in the NTE segment. It is the 1<sup>st</sup> element in that segment.*

*Description is located in Loop ID-2400 in the NTE segment. It is the 2<sup>nd</sup> element in that segment. If the claim is a BlueCare/TennCareSelect DME claim or BlueCross BlueShield of Tennessee BlueAdvantage claim for DME, Orthotics, Prosthetics, or Supplies, and the line level NTE segment is present, then the note reference code of 'PMT' must be present.*

*Description must contain CC in the first two positions followed by a space and a 3 position reject code, or CC in the first two positions followed by a space, followed by 'PAY', followed by a space and amount due.*