

QUALITY+

Guide to Advanced Illness and Frailty Exclusions

Medicare Advantage



Table of Contents

Advanced Illness 2
Frailty
Dementia Medications and Codes 12
Best Practices for Advanced
Illness and Frailty Exclusions 13

The National Committee for Quality Assurance (NCQA) has established specifications that impact Centers for Medicare & Medicaid (CMS) Star measures for patients with advanced illness and frailty. Additional exclusions to these measures were made because the services recommended in the original definition may not benefit older adults with advanced illness limiting their ability to receive certain treatments.

Advanced illness codes must be submitted in the current (measurement) year or the prior year to exclude the patient from the impacted Star measures. Frailty codes must be submitted in the current (measurement) year in order to exclude the patient from the impacted Star measures. Please see the table below for specific measures impacted by these diagnoses.

Patients age 66 and older can be excluded if they have both advanced illness and frailty

- > Breast Cancer Screening (BCS)
- Colorectal Cancer Screening (COL)
- Controlling Blood Pressure (CBP)
- Hemoglobin A1c Control for Patients With Diabetes (HBD)
- > Eye Exam for Patients With Diabetes (EED)
- Kidney Health Evaluation for Patients With Diabetes (KED)
- Osteoporosis Management in Women Who Had a Fracture (OMW)
- Statin Therapy for Patients with Cardiovascular Disease (SPC)

Patients age 81 and older can be excluded with frailty alone

- Controlling Blood Pressure (CBP)
- Osteoporosis Management in Women Who Had a Fracture (OMW)
- Kidney Health Evaluation for Patients With Diabetes (KED)



Helpful Tips

To qualify for advanced illness exclusion, the patient must have **at least one** of the following:

- Two claims on different dates of service with an advanced illness code
- One filled prescription for a dementia medication

To qualify for frailty exclusion, the patient must have **at least two** claims on different dates of service with a frailty diagnosis or treatment code.



Frailty conditions and their accompanying ICD-10 codes are often not captured during routine office visits. Annual wellness exams offer a yearly opportunity to address gaps in care, as well as possible exclusions.

Common frailty conditions that can exist in the senior population include:

History of falling (Z91.81)

Other malaise (R53.81)

Weakness (R53.1)

Difficulty in walking (R26.2)

Muscle weakness (M62.81)

A complete list is included in this guide.

Advanced Illness

ICD-10 Code	Definition
A81.00-01, A81.09	Creutzfeldt-Jakob disease
C25.0-4, 7-9	Malignant neoplasm of pancreas
C71.0-8	Malignant neoplasm of various sites of brain
C71.9	Malignant neoplasm of brain, unspecified
C77.0-5, 8-9	Secondary and unspecified malignant neoplasm of lymph nodes
C78.00	Secondary malignant neoplasm of unspecified lung
C78.01	Secondary malignant neoplasm of right lung
C78.02	Secondary malignant neoplasm of left lung

ICD-10 Code	Definition
C78.1	Secondary malignant neoplasm of mediastinum
C78.2	Secondary malignant neoplasm of pleura
C78.30	Secondary malignant neoplasm of unspecified respiratory organ
C78.39	Secondary malignant neoplasm of other respiratory organs
C78.4	Secondary malignant neoplasm of small intestine
C78.5	Secondary malignant neoplasm of large intestine and rectum
C78.6	Secondary malignant neoplasm of retroperitoneum and peritoneum
C78.7	Secondary malignant neoplasm of liver and intrahepatic bile duct
C78.80	Secondary malignant neoplasm of unspecified digestive organ
C78.89	Secondary malignant neoplasm of other digestive organs
C79.00	Secondary malignant neoplasm of unspecified kidney and renal pelvis
C79.01	Secondary malignant neoplasm of right kidney and renal pelvis
C79.02	Secondary malignant neoplasm of left kidney and renal pelvis
C79.10	Secondary malignant neoplasm of unspecified urinary organs
C79.11	Secondary malignant neoplasm of bladder

ICD-10 Code	Definition
C79.19	Secondary malignant neoplasm of other urinary organs
C79.2	Secondary malignant neoplasm of skin
C79.31	Secondary malignant neoplasm of brain
C79.32	Secondary malignant neoplasm of cerebral meninges
C79.40	Secondary malignant neoplasm of unspecified part of nervous system
C79.49	Secondary malignant neoplasm of other parts of nervous system
C79.51-52	Secondary malignant neoplasm of bone, bone marrow
C79.60-63	Secondary malignant neoplasm of ovary, bilateral ovaries
C79.70-72	Secondary malignant neoplasm of adrenal gland
C79.81	Secondary malignant neoplasm of breast
C79.82	Secondary malignant neoplasm of genital organs
C79.89	Secondary malignant neoplasm of other specified sites
C79.9	Secondary malignant neoplasm of unspecified site
C91.00, C92.00, C93.00, C93.90, C93.Z0, C94.30	Leukemia not having achieved remission

ICD-10 Code	Definition
C91.02, C92.02, C93.02, C93.92, C93.Z2, C94.32	Leukemia in relapse
F04	Amnestic disorder due to known physiological condition
F10.96	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder
F10.97	Alcohol use, unspecified with alcohol-induced persisting dementia
G10	Huntington's disease
G12.21	Amyotrophic lateral sclerosis
G20	Parkinson's disease
G30.0, G30.1, G30.8, G30.9	Alzheimer's disease
G31.01	Pick's disease
G31.09	Other frontotemporal dementia
G31.83	Dementia with Lewy bodies
G35	Multiple Sclerosis
109.81, 111.0, 113.0, 150.20, 150.21, 150.22, 150.23, 150.30, 150.31, 150.32, 150.33, 150.40, 150.41, 150.42, 150.43, 150.810, 150.811, 150.812, 150.813, 150.814, 150.82, 150.83, 150.84, 150.89, 150.9	Heart failure
150.1	Left ventricular failure, unspecified
I12.0, I13.11, I13.2, N18.5	Chronic kidney disease, stage 5

ICD-10 Code	Definition
J43.0, J43.1, J43.2, J43.8, J43.9, J98.2, J98.3	Emphysema
J68.4	Chronic respiratory conditions due to chemicals, gases, fumes and vapors
J84.10, J84.112, J84.17	Pulmonary fibrosis
J84.170, J84.178	Other Interstitial Pulmonary Diseases
J96.10, J96.11, J96.12, J96.20, J96.21, J96.22, J96.90, J96.91, J96.92	Respiratory failure
K70.10, K70.11, K70.2, K70.30, K70.31, K70.40, K70.41, K70.9	Alcoholic hepatic disease
K74.1, K74.2, K74.4, K74.5, K74.60, K74.69	Hepatic disease
K74.00-02	Fibrosis and cirrhosis of liver

ICD-10 Code	Definition
L89.001-004, L89.006, L89.009-014, L89.016, L89.019-024, L89.026, L89.029, L89.100-104, L89.106, L89.109-114, L89.116, L89.119-124, L89.126, L89.129-134, L89.136, L89.139-144, L89.146, L89.149-154, L89.156, L89.159, L89.200-204, L89.206, L89.209-214, L89.216, L89.219-224, L89.226, L89.229, L89.300-304, L89.306, L89.309-314, L89.316, L89.319-324, L89.326, L89.329, L89.40-46, L89.500-504, L89.506, L89.509-514, L89.516, L89.519-524, L89.526, L89.529, L89.600-604, L89.606, L89.609-614, L89.616, L89.619-624, L89.626, L89.629, L89.810-814, L89.816, L89.819, L89.890-894, L89.896, L89.899, L89.90-96	Pressure Ulcer
N18.6	End stage renal disease

Frailty

CPT® II Code	Definition
99504	Home visit for mechanical ventilation care
99509	Home visit for assistance with activities of daily living

HCPCS Code	Definition
E0100, E0105	Cane
E0130, E0135, E0140, E0141, E0143, E0144, E0147-9	Walker
E0163, E0165, E0167, E0168, E0170, E0171	Commode chair
E0250, E0251, E0255, E0256, E0260, E0261, E0265, E0266, E0270, E0290-7, E0301-4	Hospital bed
E0424, E0425, E0430, E0431, E0433, E0434, E0435, E0439, E0440-4	Oxygen
E0462	Rocking bed with or without side rails
E0465, E0466	Home ventilator
E0470-2	Respiratory assist device
E1130, E1140, E1150, E1160, E1161, E1170, E1171, E1172, E1180, E1190, E1200, E1220, E1240, E1250, E1260, E1270, E1280, E1285, E1290, E1295-8	Wheelchair
G0162, G0299, G0300, G0493, G0494	Skilled RN services related to home health/hospice setting

HCPCS Code	Definition
S0271	Physician management of patient home care, hospice
S0311	Comprehensive management and care coordination for advanced illness
S9123, S9124, T1000-5, T1019, T1020, T1021, T1022, T1030, T1031	Nursing care, respite care and personal care services

ICD-10 Code	Definition
L89.000-004, L89.006, L89.009-014, L89.016, L89.019-024, L89.026, L89.029, L89.100-104, L89.106, L89.109-114, L89.116, L89.119-124, L89.126, L89.129-134, L89.136, L89.139-144, L89.146, L89.149-154, L89.156, L89.159, L89.200-204, L89.206, L89.209-214, L89.216, L89.219-224, L89.226, L89.229, L89.300-304, L89.306, L89.309-314, L89.316, L89.319-324, L89.326, L89.329, L89.40-46, L89.500-504, L89.506, L89.509-514, L89.516, L89.519-524, L89.526, L89.529, L89.600-4, L89.606, L89.609-614, L89.616, L89.619-624, L89.626, L89.629, L89.810-814, L89.816, L89.819, L89.890-894, L89.896, L89.899, L89.90-96	Pressure ulcer
M62.50	Muscle wasting and atrophy, not elsewhere classified, unspecified site
M62.81	Muscle weakness (generalized)
M62.84	Sarcopenia

ICD-10 Code	Definition
R26.2	Difficulty in walking, not elsewhere classified
R26.89	Other abnormalities of gait and mobility
R26.9	Unspecified abnormalities of gait and mobility
R53.1	Weakness
R53.81	Other malaise
R54	Age-related physical debility
R62.7	Adult failure to thrive
R63.4	Abnormal weight loss
R63.6	Underweight
R64	Cachexia
W01.0XXA – W01.198S W06.XXXA – W10.9XXS W18.00XA – W19.XXXS	Fall
Y92.199	Unspecified place in other specified residential institution as the place of occurrence of the external cause
Z59.3	Problems related to living in residential institution
Z73.6	Limitation of activities due to disability
Z74.01	Bed confinement status
Z74.09	Other reduced mobility
Z74.1	Need for assistance with personal care

ICD-10 Code	Definition
Z74.2	Need for assistance at home and no other household member able to render care
Z74.3	Need for continuous supervision
Z74.8	Other problems related to care provider dependency
Z74.9	Problem related to care provider dependency, unspecified
Z91.81	History of falling
Z99.11	Dependence on respirator [ventilator] status
Z99.3	Dependence on wheelchair
Z99.81	Dependence on supplemental oxygen
Z99.89	Dependence on other enabling machines and devices


Dementia Medications and Codes

Brand Name	Generic Product Name
Aricept, Aricept ODT	Donepezil
Razadyne, Reminyl, Razadyne ER	Galantamine
Exelon, Exelon Patch	Rivastigmine
Namenda, Namenda XR, Namenda Titration Pak	Memantine
Namzaric	Donepezil-memantine

Code	Definition
F01.5054, F01.A0, F01.A11, F01.A18, F01.A2-A4, F01.B0, F01.B11-B4, F01.C0, F01.C11-C4, F02.80-84, F02.A0, F02.A11-A4, F02.B0, F02.B11-B4, F02.C0, F02.C11-C4, F03.90-94, F03.A0, F03.A11-A4, F03.B0, F03.C0, F03.C11-C4	2024 Codes for Dementia
F01.50, F01.511, F01.518, F02.80, F02.811, F02.818, F03.90, F03.911, F03.918, F10.27	2023 Codes for Dementia

Best Practices for Advanced Illness and Frailty Exclusions

- Consider implementing a process to identify and add appropriate
 Advanced Illness and/or Frailty diagnoses for patients with upcoming appointments and/or during PAF completion.
- If the documentation exists for an Advanced Illness and/or Frailty diagnosis from a previous visit, you may bill CPT® **99499** for the date of service of the previous visit and include the applicable Advanced Illness and/or Frailty code.



We're Right Here

For questions regarding reports or the quality program, please contact a member of our Medicare Advantage Provider Quality Team.

Trey Brown

Supervisor, MA Provider Quality Outreach, East Region

Phone: (423) 486-8796

Email: TreyB_Brown@bcbst.com

Julie Mason, MSSW, LAPSW, CCM

Manager, MA Provider Engagement and Outreach

Phone: (423) 618-2562

Email: Julie_Mason@bcbst.com

Natasha Brasher

Supervisor, MA Provider Quality Outreach, Middle/West Region

Phone: (423) 535-8102

Email: Natasha_Brasher@bcbst.com

Lauren Tunney, PharmD

Manager, Clinical Pharmacy

Phone: (615) 561-3752

Email: Lauren_Tunney@bcbst.com

CPT® is a registered trademark of the American Medical Association.

ICD-10-CM is the International Classification of Diseases, Tenth Revision, Clinical Modification.

This document is educational in nature and is not a coverage or payment determination, reconsideration or redetermination, medical advice, plan pre-authorization or a contract of any kind made by BlueCross BlueShield ofTennessee. Inclusion of a specific code or procedure is not a guarantee of claim payment and is not instructive as to billing and coding requirements. Coverage of a service or procedure is determined based upon the applicable member plan or benefit policy. For information about BlueCross BlueShield ofTennessee member benefits or claims, please call the number on the back of the member's ID card. This document may not be reproduced, printed, photocopied or distributed without prior written consent from BlueCross BlueShield ofTennessee.