# BLUECROSS BLUESHIELD OF TENNESSEE, INC. (BCBST) ANSI 837 DENTAL EDITS

#### 910001 DUPLICATE TO RECEIPT DATE MM/DD

The purpose of this edit is to identify duplicate claims that have been submitted to BlueCross BlueShield of Tennessee, and prevent those claims from being routed to the claims area for processing. The duplicate check edit will compare data using the Application Senders Code from the GS segment. The following fields within Loop ID-2000A of the transaction set will also be used: Billing Provider Tax ID, Patient Control Number and Statement Date from the last claim. The total calculated number of claims and the total calculated charges within the transaction set will also be used. Should a duplication of this data be submitted within a 45-day period, claims within the provider Loop ID-2000A will be rejected.

## 920001 CLAIM FILING INDICATOR INVALID

Claim Filing Indicator must equal BL, OF, or 16.

Claim filing indicator is located in Loop ID-2000B in the SBR segment. If the 1<sup>st</sup> element in that segment is equal to 'P', then the 9<sup>th</sup> element in that segment is the claim filing indicator. It should be equal to 'BL', 'OF', or '16'.

# 920002 SUB ID NOT ON ELIGIBILITY FILE

BlueCross BlueShield of Tennessee subscriber eligibility file does not list this Subscriber ID.

Subscriber ID is located in Loop ID-2010BA in the NM1 segment. If the 1<sup>st</sup> element in that segment is equal to 'IL' and the 2<sup>nd</sup> element is equal to '1', then the 9<sup>th</sup> element in that segment is the subscriber ID. The subscriber ID is not found in the BlueCross BlueShield of Tennessee eligibility database.

## 920003 SUB ID, PAT NAME, DOB, DO NOT AGREE

Subscriber ID, Patient Name, and Date of Birth must match for routing verification.

Subscriber ID is located in Loop ID-2010BA in the NM1 segment. If the  $1^{st}$  element in that segment is equal to 'IL' and the  $2^{nd}$  element is equal to '1', then the  $9^{th}$  element in that segment is the subscriber ID.

Patient last name and first name are located in Loop ID-2010CA in the NM1 segment. If the 1<sup>st</sup> element in that segment is equal to 'QC', and the 2<sup>nd</sup> element is equal to '1', then the 3<sup>rd</sup> element is the last name, and the 4<sup>th</sup> element is the first name.

Patient birth date is located in Loop ID-2010CA in the DMG segment. It is the 2<sup>nd</sup> element in that segment. The subscriber ID, patient last name, patient first name, and patient date of birth submitted on claim must match the BlueCross BlueShield of Tennessee eligibility database.

08/16/21 Page 1 of 14

## 920005 PATIENT NAME MISSING

The patient name is required.

Patient last name and first name are located in Loop ID-2010CA in the NM1 segment. If the  $1^{st}$  element in that segment is equal to 'QC', and the  $2^{nd}$  element is equal to '1', then the  $3^{rd}$  element is the last name, and the  $4^{th}$  element is the first name. The patient name is required.

## 920006 CLAIM FILING INDICATOR MISSING

Claim Filing Indicator is required.

Claim filing indicator is located in Loop ID-2000B in the SBR segment. If the 1<sup>st</sup> element in that segment is equal to 'P', then the 9<sup>th</sup> element in that segment is the claim filing indicator. Claim filing indicator is required.

# 920007 FEP SUB ID MUST = R + 8 NUMERIC

FEP Subscriber ID must equal R plus eight numeric digits.

Subscriber ID is located in Loop ID-2010BA in the NM1 segment. If the 1<sup>st</sup> element in that segment is equal to 'IL', and the 2<sup>nd</sup> element is equal to '1', then the 9<sup>th</sup> element in that segment is the subscriber ID. For FEP claims, the subscriber ID should start with the letter R followed by 8 numeric digits.

## 920008 CFI = OF, SUB ID NOT R + 8 NUMERIC

If Claim Filing Indicator is equal to OF (FEP), the Subscriber ID must be R plus eight numeric digits.

Claim filing indicator is located in Loop ID-2000B in the SBR segment. If the  $1^{st}$  element in that segment is equal to 'P', then the  $9^{th}$  element in that segment is the claim filing indicator.

Subscriber ID is located in Loop ID-2010BA in the NM1 segment. If the 1<sup>st</sup> element in that segment is equal to 'IL', and the 2<sup>nd</sup> element is equal to '1', then the 9<sup>th</sup> element in that segment is the subscriber ID. If claim filing indicator is equal to 'OF', then the subscriber ID should start with the letter R followed by 8 numeric digits.

## 920009 HIPAA NONCOMPLIANT CLM NOT ACCEPTED

Version Code must be HIPAA Compliant '005010X224A2'.

Version / Release / Industry Identifier Code is located in the GS segment. It is the 8<sup>th</sup> element in that segment. The version code must be '005010X224A2'.

## 920011 GROUP RUN OUT ENDED RETURN TO PROV

Group Run Out has Ended. Subscriber not Found on Eligibility File. Return claim to the Provider.

Subscriber Group or Policy Number is located in Loop ID-2000B in the SBR segment. It is the  $3^{rd}$  element in that segment.

08/16/21 Page 2 of 14

Subscriber Primary Identifier (ID)is located in Loop ID-2010BA in the NM1 segment. If the 1<sup>st</sup> element in that segment is equal to 'IL' and the 2<sup>nd</sup> element is equal to '1', then the 9<sup>th</sup> element in that segment is the subscriber primary identifier. The subscriber ID is not found on the eligibility file and the group run out has ended.

## 930001 SUBMITTER ID NOT ON PPF1 FILE

Submitter Tax ID does not equal Tax ID loaded in the Electronic Commerce database.

Submitter Tax ID is located in Loop ID-1000A in the NM1 segment. If the 1<sup>st</sup> element in that segment is equal to '41', then the 9<sup>th</sup> element in that segment is the Submitter tax ID. The submitter tax ID must be a valid ID found in the Electronic Commerce database.

#### 930002 PROVIDER NOT VALID PAPERLESS PROV

BlueCross BlueShield of Tennessee provider number must be a valid provider number in the Electronic Commerce database.

BlueShield provider number is located in Loop ID-2010AA in the REF segment. If the 1<sup>st</sup> element in that segment is equal to '1B', then the 2<sup>nd</sup> element in that segment is the BlueShield provider number.

National Provider Identifier (NPI) is located in Loop ID-2010AA in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. This provider number or NPI must be valid in the Electronic Commerce database.

# 930003 BCBST PROV NUMBER MISSING

BlueCross BlueShield of Tennessee provider number must be present if Claim Filing Indicator is equal to BL.

BlueShield provider number is located in Loop ID-2010AA in the REF segment. If the 1<sup>st</sup> element in that segment is equal to '1B', then the 2<sup>nd</sup> element in that segment is the BlueShield provider number.

Claim filing indicator is located in Loop ID-2000B in the SBR segment. If the 1<sup>st</sup> element in that segment is equal to 'P', then the 9<sup>th</sup> element in that segment is the claim filing indicator. If the claim filing indicator is equal to 'BL', then this number should not be equal to spaces or low-values. Edit is not applicable if NPI is present in the NM1 segment.

# 930004 PROV CANNOT SUBMIT BLUESHIELD CLMS

Provider Number not cleared to submit BlueShield claims. BlueShield provider number is located in Loop ID-2010AA

BlueShield provider number is located in Loop ID-2010AA in the REF segment. If the 1<sup>st</sup> element in that segment is equal to '1B', then the 2<sup>nd</sup> element in that segment is the BlueShield provider number.

National Provider Identifier is located in Loop ID-2010AA in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI.

08/16/21 Page 3 of 14

Claim filing indicator is located in Loop ID-2000B in the SBR segment. If the 1<sup>st</sup> element in that segment is equal to 'P', then the 9<sup>th</sup> element in that segment is the claim filing indicator. If the claim filing indicator is equal to 'BL', 'OF', or '16', then the provider number or NPI is validated against the Electronic Commerce database to verify that the provider has been approved for submitting BlueShield claims.

## 930005 PROVIDER NUMBER NOT IN CPS

BlueCross BlueShield of Tennessee Provider Number is not set up in the CPS provider number database.

BlueShield provider number is located in Loop ID-2010AA in the REF segment. If the 1<sup>st</sup> element in that segment is equal to '1B', then the 2<sup>nd</sup> element in that segment is the BlueShield provider number. The provider number must be a valid BlueShield provider number in the CPS database. Edit is not applicable if NPI is present in the NM1 segment.

## 930006 PROVIDER NUMBER NOT ACTIVE IN CPS

BlueCross BlueShield of Tennessee Provider Number is inactive in the CPS provider number database.

BlueShield provider number is located in Loop ID-2010AA in the REF segment. If the 1<sup>st</sup> element in that segment is equal to '1B', then the 2<sup>nd</sup> element in that segment is the BlueShield provider number. The provider number must be a valid, active BlueShield provider number in the CPS database. Edit is not applicable if NPI is present in the NM1 segment.

# 930007 PROVIDER CANNOT SUBMIT CLAIMS

Provider number is not cleared to submit claims electronically.

Provider number is located in Loop ID-2010AA in the REF segment. If the 1<sup>st</sup> element in that segment is equal to '1B', then the 2<sup>nd</sup> element in that segment is the BlueShield provider number.

National Provider Identifier is located in Loop ID-2010AA in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. This provider number or NPI is validated against the Electronic Commerce database to verify that the provider number has been approved for submitting claims electronically.

#### 930008 PROV SPEC CAN'T SUBMIT DENTAL CLAIMS

Provider Specialty Type indicates that provider is not a Dental provider and is not cleared to submit Dental Claims electronically.

BlueShield provider number is located in Loop ID-2010AA in the REF segment. If the 1<sup>st</sup> element in that segment is equal to '1B', then the 2<sup>nd</sup> element in that segment is the BlueShield provider number.

National Provider Identifier is located in Loop ID-2010AA in the NM1 segment. If the  $8^{th}$  element in that segment is equal to 'XX', then the  $9^{th}$  element in that segment is the NPI. This provider number or NPI is validated against the CPS provider number database to ensure the

08/16/21 Page 4 of 14

provider has a specialty type of 'DENG', 'DEN2', 'ENDO', 'ORAL', 'ORTD', 'PERI' or 'PROS'.

## 930009 BILLING PROV NPI CHECK DIGIT INV

Billing Provider National Provider Identifier (NPI) is Invalid. Billing Provider National Provider Identifier is located in Loop ID-2010AA in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Billing provider NPI must be valid.

#### 930010 BILLING PROVIDER NPI NOT IN CPS

Billing Provider National Provider Identifier (NPI) is not set up in the CPS provider number database.

Billing Provider National Provider Identifier is located in Loop ID-2010AA in the NM1 segment. If the  $8^{th}$  element in that segment is equal to 'XX', then the  $9^{th}$  element in that segment is the NPI.

Employer's Identification Number and Social Security Number for the Billing Provider Secondary Identification are located in Loop ID-2010AA in the REF Segment. If the 1<sup>st</sup> element in that segment is equal to 'EI', then the 2<sup>nd</sup> element of that segment is the Employer's Identification Number. If the 1<sup>st</sup> element in that segment is equal to 'SY', then the 2<sup>nd</sup> element of that segment is the Social Security Number. Billing provider NPI / Tax ID combination must be valid and in the CPS database.

## 930011 BILLING PROVIDER NPI NOT ACTIVE IN CPS

Billing Provider National Provider Identifier (NPI) is inactive in the BlueCross Blue Shield of Tennessee CPS provider number database. Billing Provider National Provider Identifier is located in Loop ID-2010AA in the NMI segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. The NPI must be a valid, active National Provider Identifier in the CPS database.

## 930025 NO PAYABLE NPI WAS SUBMITTED

No Payable National Provider Identifier (NPI) was found in the Billing Provider Loop (2010AA), Claim Level Rendering Provider Loop (2310B), or the Line Level Rendering Provider Loop (2420A).

Billing Provider National Provider Identifier is located in Loop ID-2010AA in the NM1segment. If the  $8^{th}$  element in that segment is equal to 'XX', then the  $9^{th}$  element in that segment is the NPI.

Claim Level National Provider Identifier is located in Loop ID-2310B in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI.

Line Level National Provider Identifier is located in Loop ID-2420A in the NM1 segment. If the  $8^{th}$  element in that segment is equal to 'XX',

08/16/21 Page 5 of 14

then the 9<sup>th</sup> element in that segment is the NPI. No Payable NPI was found in the Billing Provider Loop, Claim Level Rendering Provider Loop (2310B), or the Line Level Rendering Provider Loop (2420A).

#### 930026 NPI REQUIRED FOR BILLING PROVIDER

National Provider Identifier (NPI) is required for Billing Provider. Billing Provider National Provider Identifier is located in Loop ID-2010AA in the NM1segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. NPI is required for Billing Provider.

# 930027 MULTIPLE RENDERING NPI'S PRESENT

Multiple Rendering National Provider Identifiers (NPI) on claim. Claim Level Rendering National Provider Identifier is located in Loop ID-2310B in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI.

Line Level Rendering National Provider Identifier is located in Loop ID-2420A in the NM1 segment. If the  $8^{th}$  element in that segment is equal to 'XX', then the  $9^{th}$  element in that segment is the NPI. Multiple, different

NPIs cannot be present on claim.

## 930028 BILLING NPI=INDIV/NOT=RENDERING NPI

Billing Provider National Provider Identifier (NPI) is Individual Provider and is not equal to Rendering Provider NPI.

Billing Provider National Provider Identifier is located in Loop ID-2010AA in the NM1 segment. If the  $8^{th}$  element in that segment is equal to 'XX', then the  $9^{th}$  element in that segment is the NPI.

Claim Level Rendering National Provider Identifier is located in Loop ID-2310B in the NM1 segment. If the  $8^{th}$  element in that segment is equal to 'XX', then the  $9^{th}$  element in that segment is the NPI.

Line Level Rendering National provider Identifier is located in Loop ID-2420A in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Billing Provider NPI is individual provider and not equal to either the Claim level or Line level Rendering Provider NPI.

#### 930029 PROV TYPE/CLM TYPE DO NOT MATCH

Provider Type and Claim Type do not Match.

Billing Provider National Provider Identifier (NPI) is located in Loop ID-2010AA in the NM1 segment. If the  $8^{th}$  element in that segment is equal to 'XX', then the  $9^{th}$  element in that segment is the NPI.

Claim Level Rendering National Provider Identifier is located in Loop ID-2310B in the NM1 segment. If the  $8^{th}$  element in that segment is equal to 'XX', then the  $9^{th}$  element in that segment is the NPI.

Line Level Rendering National provider Identifier is located in Loop ID-2420A in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to

08/16/21 Page 6 of 14

'XX', then the 9<sup>th</sup> element in that segment is the NPI. NPI is Institutional provider type and does not match the professional 837 claim type submitted.

## 930122 CLM RENDERING NPI CHECK DIGIT INV

Claim Level Rendering National Provider Identifier (NPI) Invalid. Claim Level Rendering National Provider Identifier is located in Loop ID-2310B in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Rendering Provider NPI must be valid.

## 930124 CLM RENDERING NPI NOT ACTIVE IN CPS

Claim Level Rendering National Provider Identifier (NPI) is not set up in the CPS Provider number database.

Claim Level Rendering National Provider Identifier is located in Loop ID-2310B in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Rendering Provider NPI must be a valid, active NPI in the CPS database.

## 930126 NPI REQUIRED FOR CLM RENDERING PROV

National Provider Identifier (NPI) is required for Claim Level Rendering Provider.

Claim Level Rendering National Provider Identifier is located in Loop ID-2310B in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. NPI is required for Claim level Rendering Provider.

## 930127 MRCL PROVIDER TAX ID MISMATCH

Billing Provider Tax Identification (ID) Number does not match the Tax ID of the Medicaid Reclamation Billing Provider Number in the CPS Provider Number database.

Billing Provider Tax ID is located in Loop ID-2010AA in the REF segment. It is the  $2^{nd}$  element in that segment.

Billing Provider Secondary Identification is located in Loop ID-2010BB in the REF Segment. If the  $1^{st}$  element in that segment is equal to 'G2', then the  $2^{nd}$  element of that segment is the Billing Provider Secondary Identifier. Billing provider Secondary Identifier and Tax ID must be a valid combination in the CPS database.

#### 930222 LINE RENDERING NPI CHECK DIGIT INV

Line Level Rendering National Provider Identifier (NPI) Invalid. Line Level Rendering National Provider Identifier is located in Loop ID-2420A in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Rendering Provider NPI must be valid.

# 930224 LINE RENDERING NPI NOT ACTIVE CPS

08/16/21 Page 7 of 14

Line Level Rendering National Provider Identifier (NPI) is not set up in the CPS Provider number database.

Line Level Rendering National Provider Identifier is located in Loop ID-2420A in the NM1 segment. If the  $8^{th}$  element in that segment is equal to 'XX', then the  $9^{th}$  element in that segment is the NPI. Line level Rendering Provider NPI must be a valid, active NPI in the CPS database.

# 930226 NPI REQUIRED LINE RENDERING PROV

National Provider Identifier (NPI) is required for Line Level Rendering Provider.

Line Level Rendering National Provider Identifier is located in Loop ID-2420A in the NM1 segment. If the  $8^{th}$  element in that segment is equal to 'XX', then the  $9^{th}$  element in that segment is the NPI. NPI is required for Line level Rendering Provider.

#### 931924 LN SUPVSNG NPI NOT ACTIVE IN CPS

Line Level Supervising Provider National Provider Identifier (NPI) is not Set up in the CPS Provider number database.

Line Level Supervising Provider National Provider Identifier is located in Loop ID-2420C in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Supervising Provider NPI must be a valid, active NPI in the CPS database. This edit is applicable to BlueCarePlus claims only.

## 933924 CLM SUPVSNG NPI NOT ACTIVE IN CPS

Claim Level Supervising Provider National Provider Identifier (NPI) is not set up in the CPS Provider number database.

Claim Level Supervising Provider National Provider Identifier is located in Loop ID-2310E in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Supervising Provider NPI must be a valid, active NPI in the CPS database. This edit is applicable to BlueCarePlus claims only.

#### 940001 SUBMITTER ID IS ALL ZEROS OR NINES

Submitter Tax ID must be a valid Submitter Tax ID.

Submitter tax ID is located in Loop ID-1000A in the NM1 segment. If the 1<sup>st</sup> element in that segment is equal to '41', then the 9<sup>th</sup> element in that segment is the submitter tax ID. The submitter tax ID should not be equal to all zeros or 9's.

#### 940002 CREATION DATE > CURRENT DATE

Creation Date must not be a future date.

Creation Date is located in the BHT segment. It is the 4<sup>th</sup> element in that segment. The creation date cannot be greater than the current date.

# 940003 PROV EIN SSN NPI INVAL/NOT NUMERIC

Provider's Employer Identification Number, Social Security Number

08/16/21 Page 8 of 14

and/or National Provider Identifier must be numeric and valid. *Employer's Identification Number, Social Security Number and National Provider Identifier for the Billing Provider are located in Loop ID-2010AA in the NM1 Segment. If the 1<sup>st</sup> element in that segment is equal to '85', then the 9<sup>th</sup> element in that segment is the Billing Provider Identification code.* 

If the  $8^{th}$  element in that segment is equal to '24', then the  $9^{th}$  element is the Employer's Identification Number and must be 9 numeric digits. If the  $8^{th}$  element in that segment is equal to '34', then the  $9^{th}$  element is the Social Security Number and must be 9 numeric digits.

If the  $8^{th}$  element in that segment is equal to 'XX', then the  $9^{th}$  element is the National Provider Identifier and must be 10 numeric digits.

Employer's Identification Number and Social Security Number for the Billing Provider Secondary Identification are located in Loop ID-2010AA in the REF Segment.

If the  $I^{st}$  element in that segment is equal to 'EI', then the  $2^{nd}$  element of that segment is the Employer's Identification Number and must be 9 numeric digits.

If the 1<sup>st</sup> element in that segment is equal to 'SY', then the 2<sup>nd</sup> element of that segment is the Social Security Number and must be 9 numeric digits. Employer's Identification Number, Social Security Number and National Provider Identifier for the Billing Provider Identification Code and the Billing Provider Secondary Reference Identification must be numeric and valid.

# 940004 PROV EIN/SSN IS ALL ZEROS OR NINES

Provider's Employer Identification Number and/or Social Security Number must be a valid Provider EIN or SSN.

Employer's Identification Number and Social Security Number for the Billing Provider are located in Loop ID-2010AA in the NM1 Segment. If the 1<sup>st</sup> element in that segment is equal to '85', then the 9<sup>th</sup> element in that segment is the Billing Provider Identification code.

If the  $8^{th}$  element in that segment is equal to '24', then the  $9^{th}$  element is the Employer's Identification Number.

If the 8<sup>th</sup> element in that segment is equal to '34', then the 9<sup>th</sup> element is the Social Security Number.

Employer's Identification Number and Social Security Number for the Billing Provider Secondary Identification are located in Loop ID-2010AA in the REF Segment.

If the  $1^{st}$  element in that segment is equal to 'EI', then the  $2^{nd}$  element of that segment is the Employer's Identification Number.

If the 1<sup>st</sup> element in that segment is equal to 'SY', then the 2<sup>nd</sup> element of that segment is the Social Security Number.

Employer's Identification Number and/or Social Security Number for the Billing Provider Identification Code and the Billing Provider Secondary Reference Identification must be valid and not equal to all zeros or nines.

08/16/21 Page 9 of 14

## 940005 PATIENT DOB > CURRENT DATE

Patient Birth Date must not be a future date.

Patient birth date is located in Loop ID-2010CA in the DMG segment. It is the  $2^{nd}$  element in that segment. The patient birth date cannot be greater than current date.

## 940006 SUBSCRIBER DOB > CURRENT DATE

Subscriber Birth Date must not be a future date.

Subscriber birth date is located in Loop ID-2010BA in the DMG segment. It is the  $2^{nd}$  element in that segment. The subscriber birth date cannot be greater than the current date.

## 940007 CDT-4 PROCEDURE CODE MISSING

CDT-4 procedure code must be present.

CDT-4 procedure code is located in Loop ID-2400 in the SV3 segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'AD', then the 2<sup>nd</sup> sub-element is the procedure code. The procedure code must be present.

## 940008 PROC CODE MUST BE VALID CDT-4 CODE

Procedure Code must be a valid CDT-4 code.

CDT-4 procedure code is located in Loop ID-2400 in the SV3 segment. If the 1<sup>st</sup> sub-element of 1<sup>st</sup> element is equal to 'AD', then the 2<sup>nd</sup> sub-element is the procedure code. The procedure code is validated against the CDT-4 code table.

## 940009 PROC CODE NOT IN EFFECT FOR SVC DT

Procedure Code must be in effect for Service Date.

Procedure code is located in Loop ID-2400 in the SV3 segment. If the  $1^{st}$  sub-element of  $1^{st}$  element is equal to 'AD', then the  $2^{nd}$  sub-element is the procedure code.

Service date is located in Loop ID-2300 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date. The first 8 bytes of the 3<sup>rd</sup> element are the service from date and bytes 10 thru 17 are the service to date. Service Date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date. The procedure code must be in effect for service date.

#### 940010 SERVICE FROM DATE IS INVALID

Service From Date must be a valid date.

Service date is located in Loop ID-2400 in the DTP segment. If the 1<sup>st</sup> element in that segment is equal to '472', then the 3<sup>rd</sup> element in that segment is the service date. The first 8 bytes in the 3<sup>rd</sup> element are the

08/16/21 Page 10 of 14

service from date. The service from date must be a valid date in CCYYMMDD format.

## 940011 TOOTH NUMBER MUST BE VALID

Tooth Number must be valid.

Tooth number is located in Loop ID-2400 in the TOO segment. If the  $1^{st}$  element in that segment is equal to 'JP', then the  $2^{nd}$  element is the tooth number. The tooth number is validated against CDT-4 tooth numbers '01-32', '51-82', 'A-T' & 'AS-TS'.

#### 940012 TOTAL CHGS CAN'T BE LESS THAN ZERO

Total Claim Charge Amount cannot be less than Zero. *Total claim charge amount is located in Loop ID-2300 in the CLM segment. It is the 2<sup>nd</sup> element in that segment. The total charge amount for the claim cannot be less than zero.* 

## 940049 CLAIM RENDERING NPI NOT = 10 DIGITS

Claim Level Rendering National Provider Identifier (NPI) exceeds 10 Digits in length.

Claim Level Rendering National Provider Identifier is located in Loop ID-2310B in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Claim level Rendering Provider NPI must equal 10 digits in length.

## 940050 LINE RENDERING NPI NOT = 10 DIGITS

Line Level Rendering National Provider Identifier (NPI) exceeds 10 Digits in length.

Line Level Rendering National Provider Identifier is located in Loop ID-2420A in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element in that segment is the NPI. Line level Rendering Provider NPI must equal 10 digits in length.

## 940051 NO ENCOUNTER AGREEMENT IN PLACE

Encounter Agreement is not in place at this time.

Claim or Encounter Identifier is located in the BHT segment. It is the 6<sup>th</sup> element in that segment. If the identifier is equal to 'RP', then the transaction is an encounter. Encounter agreement is not in place at this time.

## 950001 VALID TOOTH NUMBER REQUIRED

A valid Tooth Number is required.

Tooth number is located in Loop ID-2400 in the TOO segment. If the  $1^{st}$  element in that segment is equal to 'JP', then the  $2^{nd}$  element is the tooth number. The tooth number must be present and be a valid tooth number.

08/16/21 Page 11 of 14

# 950002 VAL # TOOTH SURFACES REQ FOR CDT-4

A valid number of tooth surfaces must be entered for this CDT-4 procedure code.

Tooth surface is located in Loop ID-2400 in the TOO segment. If the  $1^{st}$  element is equal to 'JP', then the  $3^{rd}$  element is the tooth surface. The tooth surface element can contain up to 5 sub-elements. The appropriate number of tooth surface(s) must be entered for the procedure performed.

# 950003 VAL TOOTH NBR RANGE REQ FOR ORL CAV

A valid tooth number must be entered for this oral cavity. Tooth number is located in Loop ID-2400 in the TOO segment. If the 1<sup>st</sup> element in that segment is equal to 'JP', then the 2<sup>nd</sup> element is the tooth number. Multiple TOO segments may be supplied indicating a range.

Oral Cavity is located in Loop ID-2400 in the SV3 segment. The oral cavity element may contain up to 5 sub-elements. If the oral cavity and the tooth number are present, then the tooth number range must be valid for the oral cavity supplied.

# 950004 TOOTH NBR RANGE OR ORAL CAVITY REQ

A valid tooth number range or oral cavity must be entered for this procedure.

Tooth number is located in Loop ID-2400 in the TOO segment. If the 1<sup>st</sup> element in that segment is equal to 'JP', then the 2<sup>nd</sup> element is the tooth number. Multiple TOO segments may be supplied indicating a range.

Oral Cavity is located in Loop ID-2400 in the SV3 segment. The oral cavity element may contain up to 5 sub-elements. Tooth number(s) or oral cavity must be present for the procedure performed.

## 950005 ORAL CAVITY INV FOR THIS PROCEDURE

An oral cavity of '01' or '02' must be entered for this procedure. Oral Cavity is located in Loop ID-2400 in the SV3 segment. The oral cavity element may contain up to 5 sub-elements. The oral cavity, if present, must be equal to '01' or '02' for this procedure.

## 950006 TOOTH RANGE INV FOR THIS PROCEDURE

A valid tooth number range of 01-16, 17-32, A-J, or K-T must be entered for this procedure.

Tooth number is located in Loop ID-2400 in the TOO segment. If the 1<sup>st</sup> element in that segment is equal to 'JP', then the 2<sup>nd</sup> element is the tooth number. Multiple TOO segments may be supplied indicating a range. The tooth number, if present, must be equal to '01' - '16', '17' - '32', 'A' - 'J', or 'K' - 'T' for this procedure.

08/16/21 Page 12 of 14

## 950007 SEC CLMS NOT ACCEPTED AT THIS TIME

Secondary claims are not accepted for processing at this time.

Claim filing indicator is located in Loop ID-2000B in the SBR segment. It

is the 1<sup>st</sup> element in that segment. If the claim filing indicator is equal to any value other than 'P', then the claim is a secondary claim. Secondary claims are not accepted at this time.

## 950009 VALID TOOTH NUMBER REQ FOR CDT-4 CD

A valid tooth number must be entered for this CDT-4 procedure code. Tooth number is located in Loop ID-2400 in the TOO segment. If the 1<sup>st</sup> element in that segment is equal to 'JP', then the 2<sup>nd</sup> element is the tooth number. The tooth number must be entered and be a valid tooth number for the procedure performed.

# 950010 FEP CLAIM FILE TO CORRECT PLAN

Federal Employees Program (FEP) claims must be submitted to the Correct Plan.

FEP claims must be submitted to the correct Plan. This edit is not applicable to Medicare Secondary crossover claims submitted through the Coordination of Benefits Contractor (COBC).

#### 950011 TAX ID AND NPI DO NOT MATCH

Billing Provider Tax Identification (ID) Number does not match the Billing Provider National Provider Identifier (NPI) set up in the CPS Provider Number database.

Billing Provider Tax ID is located in Loop ID-2010AA in the REF segment. It is the  $2^{nd}$  element in that segment.

Billing Provider NPI is located in Loop ID-2010AA in the NM1 segment. If the 8<sup>th</sup> element in that segment is equal to 'XX', then the 9<sup>th</sup> element is the NPI. The billing provider tax ID/NPI combination must be a valid combination in the CPS provider number database. This edit is applicable to BlueCarePlus claims only.

## 950012 CLM LEVEL CLM ADJ REASON CODE INV

Claim Level Claim Adjustment Reason Code Invalid.

Claim level claim adjustment reason code is located in Loop ID-2320 in the CAS segment. The 2<sup>nd</sup>, 5<sup>th</sup>, 8<sup>th</sup>, 11<sup>th</sup>, 14<sup>th</sup>, and 17<sup>th</sup> elements contain the claim adjustment reasons. These reason codes are validated against the adjustment reason code table.

## 950013 LINE LEVEL CLM ADJ REASON CODE INV

Line Level Claim Adjustment Reason Code Invalid.

Line level claim adjustment reason code is located in Loop ID-2430 in

08/16/21 Page 13 of 14

the CAS segment. The 2<sup>nd</sup>, 5<sup>th</sup>, 8<sup>th</sup>, 11<sup>th</sup>, 14<sup>th</sup>, and 17<sup>th</sup> elements contain the claim adjustment reasons. These reason codes are validated against the adjustment reason code table.

# 950015 OTHER PAYER PAID AMOUNT CAN'T BE <0

Other Payer Paid Amount cannot be less than zero.

Payer paid amount is located in Loop-ID 2320 in the AMT segment. If the  $1^{st}$  element in that segment is equal to 'D', then the  $2^{nd}$  element in that segment is the payer paid amount and it cannot be less than zero.

08/16/21 Page 14 of 14