



## **LOW BACK PAIN**


# **Topics**

In this presentation, we'll cover:

- > HEDIS® Update
- Centers for Disease Control and Prevention (CDC) Update
- > Provider Resources
- Contact Information

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).

Content reproduced with permission from HEDIS Measurement Year 2020 & Measurement Year 2021, Volume 2: Technical Specifications for Health Plans by the National Committee for Quality Assurance (NCQA). HEDIS® is a registered trademark of NCQA. HEDIS measures and specifications are not clinical guidelines and do not establish a standard of medical care. NCQA makes no representations, warranties, or endorsements about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measures or specifications. Limited proprietary coding is contained in the measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. NCQA disclaims all liability for use or accuracy of any coding contained in the specifications. To purchase copies of this publication, including the full measures and specifications, contact NCQA Customer Support at 888-275-7585 or visit www.ncqa.org/publications.



# Use of Imaging Studies for Low Back Pain (LBP) (18-75 years)

Patients with a primary diagnosis of uncomplicated low back pain should wait 28 days or more from primary diagnosis being given, before they undergo an imaging study (plain X-Ray, MRI, CT scan).

- Encourage patients to try conservative treatments such as:
  - Ice

Stretching or back straightening exercises


Heat

- Safe back habits
- OTC Pain Relief

## > Helpful Tips:

- Include documentation and coding, along with the diagnosis of LBP on the claim, for "red-flag" conditions (exclusions) where an imaging study should be ordered.
  This will prevent an open gap that can't be closed. There's a six month review period for any primary diagnosis of LBP during that time.
- If this gap opens, it can't be closed.

# Use of Imaging Studies for Low Back Pain (LBP) (18-75 years)



# What to Report

It's important to document and code for any exclusions that would warrant use of imaging studies.

Below are categories and sample codes for HEDIS® exclusions:

## Cancer

- Examples: C34.10 Malignant Neoplasm of the Upper Lobe, Lung; C25.1 Malignant Neoplasm of Body of Pancreas (ICD-10 codes)
- Cancer any time during the member's history through 28 days after the primary diagnosis of LBP

# What to Report (cont.)

Categories and sample codes for HEDIS® exclusions:

## Recent Trauma

- Example: G89.11 Acute Pain due to Trauma (ICD-10 code)
- Additional examples include: S02.0XXA, S03.00XA, S06.0X0A, S06.1X0A, S06.2X0A, S06.300A, S06.310A, S06.5X6A, S12.8XXA. There are many codes in this category for use. If you have questions, please contact a Clinical Consultant for additional assistance.
- Trauma any time during the three months (90 days) prior to the primary diagnosis of LBP through 28 days after the diagnosis of LBP
- Note: A code must be specific to be considered as an exclusion. General codes such as "falls" or "weakness" won't meet the exclusion standard. Make sure the information you're entering is as specific as possible.

# What to Report (cont.)

## Categories and sample codes for HEDIS® exclusions:

- Intravenous (IV) Drug Abuse
  - Example: F11.10 Opioid abuse, uncomplicated (ICD-10 code)
  - IV drug abuse any time during the 12 months (one year) prior to the primary diagnosis of LBP through 28 days after the diagnosis of LBP
- Neurologic Impairment
  - Example: G83.4 Cauda equina syndrome (ICD-10 code)
  - Neurologic impairment any time during the 12 months (one year) prior to the primary diagnosis of LBP through 28 days after the diagnosis of LBP
- > Human Immunodeficiency Virus (HIV)
  - Example: B20 Human Immunodeficiency Virus (HIV) disease and Z21 Asymptomatic HIV infection status (ICD-10 codes)
  - HIV any time during the patient's history through 28 days after the primary diagnosis of LBP

# What to Report (cont.)

## Categories and sample codes for HEDIS® exclusions:

- Spinal Infection
  - Example: G06.1 Intraspinal abscess and granuloma (ICD-10 code)
  - Spinal infection any time during the 12 months (one year) prior to the primary diagnosis of LBP through 28 days after the diagnosis of LBP
- Organ Transplant (other than kidney)
  - 32850-32856 CPT® codes
  - Organ transplant (other than kidney) any time in the patient's history through 28 days after the primary diagnosis of LBP
- > Kidney Transplant
  - Example: Z94.0 Kidney Transplant Status (ICD-10 code)
  - Kidney transplant any time in the patient's history through 28 days after the primary diagnosis of LBP

# What to Report (cont.)

Categories and sample codes for HEDIS® exclusions:

- > Prolonged Use of Corticosteroids
  - Use Corticosteroid medication list
  - 90 consecutive days of corticosteroid treatment any time during the 365-day period prior to the primary diagnosis of LBP and ends on the day of the primary diagnosis of LBP (366 days total)

## Osteoporosis

- Osteoporosis therapy or a dispensed prescription to treat osteoporosis
- Any time during the member's history through 28 days after the primary diagnosis of LBP
- Example: CPT® J0897; Injection, Denosumab, 1 mg

# What to Report (cont.)

Categories and sample codes for HEDIS® exclusions:

## Fragility Fracture

- Any time during the three months (90 days) prior to the primary diagnosis of LBP through 28 days after the primary diagnosis of LBP
- Example: M48.40XD (ICD-10 code); Fatigue fracture of vertebra, site unspecified, subsequent encounter for fracture with routine healing

## > Lumbar Surgery

- Any time during the member's history through 28 days after the primary diagnosis of LBP
- Example: CPT® 22114

# What to Report (cont.)

Categories and sample codes for HEDIS® exclusions:

- Spondylopathy
  - Any time during the member's history through 28 days after the primary diagnosis of LBP
  - Example: M45.0 (ICD-10 code); Ankylosing spondylitis of multiple sites in the spine
- > Palliative Care
  - Patient receiving palliative care during the measurement year



**HEDIS® UPDATE** 

# HEDIS® Measure: Use of Imaging Studies for LBP

Accurate coding is key.

- The percentage of patients with a primary diagnosis of LBP who did **not** have an imaging study (plain X-ray, MRI, CT scan) within 28 days of the diagnosis and does not have an exclusion code
- Age Group: 18-75 years of age

### BY THE NUMBERS

## A Common Condition

# Low back pain (LBP) is very common, causing more global disability than any other condition.

In one study, it was the most common type of pain reported by patients, with 25% of U.S. adults reporting LBP in the last three months.

LBP is frequently classified based on several clinical characteristics, including duration of symptoms.

- Acute back pain is often defined as lasting less than four weeks.
- Subacute back pain lasts four to 12 weeks.
- Chronic back pain lasts more than 12 weeks.

Many patients do not present acute symptoms for LBP, as it typically will resolve on its own without intervention.

### BY THE NUMBERS

# **Opioids Commonly Prescribed**

# Opioids continue to be prescribed for LBP, despite an overall lack of evidence to support their effectiveness.

A recent study showed that 13.7% of 2017 visits for acute LBP covered by private insurance were associated with an opioid prescription. Prescriptions were for a median seven-day supply (interquartile range 4-15 days) and median daily dosage of 21.4 milligrams.

Another recent study found that in 2015, 27% of opioid-naïve patients with newly diagnosed low-back or extremity pain received an opioid prescription.


- In the last three months, 25% of U.S. adults reported having LBP, making it the most commonly reported.
- Almost 14% of insured patients who sought care for LBP were prescribed opioids.




## **PROVIDER RESOURCES**

## LBP Pocket Guide

Based on recommendations from the CDC and Choosing Wisely (ABIM).





### **EXTERNAL PROVIDER RESOURCES**

# CDC and Choosing Wisely

There are many external websites to assist with additional patient education related to LBP. These sites include materials for in-office use and patient visits.



### **EXTERNAL PROVIDER RESOURCES**

# CDC and Choosing Wisely (cont.)

## ) CDC


- Guideline for Prescribing Opioids for Chronic Pain
- Guideline Resources: Clinical Tools
- Training for Providers
- Calculating Daily Dose of Opioids, and Morphine Milligram Equivalents (MME)

## Choosing Wisely

https://www.choosingwisely.org/patient-resources/#keyword=Back\_pain

## **PROVIDER RESOURCES**

## LBP Member-Focused Brochure







#### If the pain gets worse or doesn't get better after a few days, call your primary care provider. Your provider may recommend or prescribe:

- Acupuncture
- Chiropractic care
- Massage therapy
- Pain medication
- > Physical therapy



### **CONTACTS**

# Commercial Quality Improvement Team



## Patty Howard, RN, BSN, CPHQ, FAHM

Manager, Quality Improvement

Phone: (423) 535-7865

Email: Patty\_Howard@bcbst.com



## Jessica Castano, RN, BSN, CPHQ

Supervisor, Performance and

Process Improvement Phone: (423) 535-6655

Email: Jessica\_Castano@bcbst.com



## Shannon Dunn, MHL, BS, LPN, CPHQ, CHC

Clinical Consultant, Quality Improvement

Phone: (423) 298-3951

Email: Shannon\_Dunn@bcbst.com



## Lisa Eaves, RN, BS, CPHQ, PAHM

Clinical Consultant, Quality Improvement

Phone: (423) 326-4859

Email: Lisa Eaves@bcbst.com



## Jennifer Rollins, RN, MSN, CCM, PAHM. CPHQ

Clinical Consultant, Quality Improvement

Phone: (423) 240-0327

Email: Jennifer\_Rollins@bcbst.com



## Leigh Sanders, RN, CCM, CPHQ

Clinical Consultant, Quality Improvement

Phone: (423) 702-1505

Email: Leigh\_Sanders@bcbst.com

# Thank You



BlueCross BlueShield of Tennessee, an Independent Licensee of Blue Cross Blue Shield Association.

# Copyright Notice and Disclaimers

This document is educational in nature and is not a coverage or payment determination, reconsideration or redetermination, medical advice, plan pre-authorization or a contract of any kind made by BlueCross BlueShield of Tennessee. Inclusion of a specific code or procedure is not a guarantee of claim payment and is not instructive as to billing and coding requirements. Coverage of a service or procedure is determined based upon the applicable member plan or benefit policy. For information about BlueCross BlueShield of Tennessee member benefits or claims, please call the number on the back of the member's ID card. This document may not be reproduced, printed, photocopied or distributed without prior written consent from BlueCross BlueShield of Tennessee.

Content reproduced with permission from HEDIS 2020, Volume 2: Technical Specifications for Health Plans by the National Committee for Quality Assurance (NCQA). HEDIS® is a registered trademark of NCQA. HEDIS measures and specifications are not clinical guidelines and do not establish a standard of medical care. NCQA makes no representations, warranties, or endorsements about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measures or specifications. Limited proprietary code sets should obtain all necessary licenses from the owners of these code sets. NCQA disclaims all liability for use of accuracy of any coding contained in the specifications.

CPT® is a registered trademark of the American Medical Association.



BlueCross BlueShield of Tennessee, an Independent Licensee of Blue Cross Blue Shield Association.